पंजीकृत संख्या-यू०ए०/डी०ओ०/डी०डी०एन०/30/2009-11

(लाइसेन्स टू पोस्ट विदाचट प्रीपेमेन्ट)



# सरकारी गजट, उत्तराखण्ड

## उत्तराखण्ड सरकार द्वारा प्रकाशित

## रुडकी

खण्ड-10) रुड़की, शनिवार, दिनांक 11 अप्रैल, 2009 ई0 (चैत्र 21, 1931 शक सम्वत्)

[संख्या-15

## विषय-सूची

प्रत्येक माग के पृष्ठ अलग-अलग दिये गए हैं, जिससे उनके अलग-अलग खण्ड बन सकें वार्षिक चन्दा पृष्ठ संख्या सम्पूर्ण गजट का मूल्य 3075 भाग 1-विज्ञप्ति-अवकाश, निय्वित, स्थान-निय्वित, स्थानान्तरण, अधिकार और दूसरे वैयक्तिक नोटिस 1500 111-119 भाग 1-क-नियम, कार्य-विधियां, आज्ञाएं, विज्ञप्तियां इत्यादि जिनको उत्तराखण्ड के राज्यपाल महोदय विभिन्न विभागों के अध्यक्ष तथा राजस्व परिषद् ने जारी किया 111-149 1500 भाग 2-आज्ञाएं, विज्ञप्तियां, नियम और नियम विधान, जिनको केन्द्रीय सरकार और अन्य राज्यों की सरकारों ने जारी किया, हाई कोर्ट की विज्ञप्तियां, भारत सरकार के गजट और दूसरे राज्यों के गजटों के उद्धरण 975 भाग 3-स्वायत्त शासन विभाग का क्रोड-पत्र, नगर प्रशासन, नोटीफाइड एरिया, टाउन एरिया एवं निर्वाचन (स्थानीय निकाय) तथा पंचायतीराज आदि के निदेश जिन्हें विभिन्न आयुक्तों अथवा जिलाधिकारियों ने जारी किया भाग 4-निदेशक, शिक्षा विभाग, उत्तराखण्ड भाग 5-एकाउन्टेन्ट जनरल, उत्तराखण्ड भाग 6-बिल, जो भारतीय संसद में प्रस्तुत किए गए या प्रस्तुत किए जाने से पहले प्रकाशित किए गए तथा सिलेक्ट कमेटियों 975 भाग 7-इलेक्शन कमीशन ऑफ इण्डिया की अनुविहित तथा अन्य निर्वाचन सम्बन्धी विज्ञप्तियां 975 भाग 8-सूचना एवं अन्य वैयक्तिक विज्ञापन आदि स्टोर्स पर्चेज-स्टोर्स पर्चेज विभाग का क्रोड़-पत्र आदि

#### भाग 1

विज्ञप्ति-अवकाश, नियुक्ति, स्थान-नियुक्ति, स्थानान्तरण, अधिकार और दूसरे वैयक्तिक नोटिस

## गृह विभाग

## अधिसूचना

26 मार्च, 2009 ई0

संख्या 265/XX(1)/74/पीपीएस/2007-अधोहस्ताक्षरी को यह कहने का निदेश हुआ है कि श्री अशोक कुमार मट्ट, पुत्र स्व0 श्री लिलत मोहन मट्ट, निवासी 275, जी०बी० पन्त मार्ग, हल्ह्वानी, नैनीताल का स्थायी पता परिवर्तित करते हुए भविष्य में अपना स्थायी पता ग्राम-सिरतोंली, पट्टी-जनकाण्डे, तहसील-लोहाघाट, जिला-चम्पावत लिखने की राज्यपाल महोदय सहर्ष स्वीकृति प्रदान करते हैं।

## अधिसूचना

## 26 मार्च, 2009 ई0

संख्या 268/XX(1)/366/विविध/2004—युद्धाभ्यास और खुले क्षेत्र में गोला चलाने तथा तोप दागने का अभ्यास अधिनियम, 1938 (अधिनियम संख्या 5, सन् 1938) की धारा 9 की उपधारा (1) के अधीन शक्ति का प्रयोग करते हुए राज्यपाल महोदय निम्नलिखित विनिर्दिष्ट क्षेत्र को ऐसा क्षेत्र परिभाषित करते हैं, जिसमें दिनांक 01—07—2008 को प्रारम्भ होने वाली और दिनांक 30—06—2013 को समाप्त होने वाली पांच वर्षों की अवधि में, जिस पर खुले क्षेत्र में नियतकालिक गोला चलाने और तोप दागने का अभ्यास किया जाना प्राधिकृत किया जा सकता है :—

## क्षेत्र का विवरण

जिले का नाम	तहसील का नाम	ग्राम का नाम	गाटा (प्लॉट) का नाम, क्षेत्रफल
पिथौरागढ	डीडीहाट	हाटथर्प	खेत संख्या 2505 मध्ये 7 नाली
		क्याना तमः क्वीक्रमी ताला	खेत संख्या 2506 मध्ये 8 मुठ्ठी
		the first profession	खेत संख्या २६२८ मध्ये ६ नाली
		S American Children Company	WIRE TENNESSES TABLETON TO THE
			<ul> <li>खेत संख्या 2567 मध्ये 7 नाली</li> </ul>
		विकास विभाग । जाना विकास	खेत संख्या 2628 मध्ये 4 नाली

टिप्पणी—उक्त भूमि का स्थल नक्शा (साइट-प्लान) पिथौरागढ़ के जिलाधिकारी के कार्यालय में देखा जा सकता है।

श्री राज्यपाल की आज्ञा से.

सुभाष कुमार प्रमुख सचिव।

In pursuance of the provisions of Clause (3) of Article 348 of the Constitution of India, the Governor is pleased to order the publication of the following English translation of notification no. 268/XX(1)/366/Misc./2004, dated March 26, 2009 for general information:

#### NOTIFICATION

#### March 26, 2009

No. 268/XX(1)/366/Misc./2004--In exercise of the powers under sub-section (1) of section 9 of the Manoeuvres, Field firing and Artillery Practice Act, 1938 (Act No. V of 1938), the Governor is pleased to define the area specified below as the area within which the carrying out periodically of Field Firing and Artillery Practice may be authorised for a period of five years commencing on July 01, 2008 and ending with June 30, 2013.

**	D	ETAILS OF THE AREA	610 to whole in part a
Name of District	Name of Tehsil	Name of Village	Name, Area of the Plot
Pithoragarh	Didihat	Hattharp	Under Field 2505 7 Nali
			Under Field 2506 8 Mutthi
			Under Field 2528 5 Nali
			Under Field 2529 1 Nali
			Under Field 2567 7 Nali
		The state of the state of	Under Field 2628 4 Nali

Note: -- A site plan of the land may be inspected in the office of the Collector, Pithoragarh.

By Order of the Governor,

SUBHASH KUMAR, Principal Secretary.

## वित्त विभाग

## अधिसूचना

26 फरवरी, 2009 ई0

संख्या 134/XXVII(8)/वाणि0 कर (वैट)/2009—उत्तराखण्ड माल के स्थानीय क्षेत्रों में प्रवेश पर कर अधिनियम, 2008 की धारा 14 की उपधारा (3) के साथ पठित भारत का संविधान के अनुच्छेद 283 के खण्ड (2) द्वारा प्रदत्त शक्तियों का प्रयोग करके, राज्यपाल निम्नलिखित नियमावली बनाते हैं :--

उत्तराखण्ड माल के स्थानीय क्षेत्रों में प्रवेश पर कर (निधि) नियमावली, 2009

## 1. संक्षिप्त नाम एवं प्रारम्म-

- (1) यह नियमावली उत्तराखण्ड माल के स्थानीय क्षेत्रों में प्रवेश पर कर (निधि) नियमावली, 2009 कही जायेगी
- (2) यह तुरन्त प्रवृत्त होगी।

## 2. परिभाषाएं-

जब तक इस सन्दर्भ में अन्यथा अपेक्षित न हो, इस नियमावली में-

- (क) "समिति" से नियम 4 के उपनियम (1) के अधीन गठित समिति अभिप्रेत हैं:
- (ख) "अधिनियम" से उत्तराखण्ड माल के स्थानीय क्षेत्रों में प्रवेश पर कर अधिनियम, 2008 अभिप्रेत है;
- (ग) इस नियमावली में प्रयुक्त किन्तु अपिरमाषित शब्दों एवं पदों के वही अर्थ होंगे जो अधिनियम में उनके लिए समनुदेशित हैं।

## 3. निधि की धनराशि का उपयोग-

- (1) निधि में उपलब्ध धनराशि का उपयोग, अधिनियम की धारा 14 के उपबन्धित प्रयोजनों के लिए किया जायेगा।
- (2) निधि की धनराशि पर प्रोदभूत ब्याज की धनराशि निधि में सम्मिलित की जायेगी तथा उसका उपयोग उपनियम (1) के अनुसार किया जायेगा।

## 4. निधि के उपयोग की रीति-

(1) निधि में धनराशि के उपयोग की मदों एवं मानदण्डों का अवधारण ऐसी समिति द्वारा किया जायेगा जिसे उत्तराखण्ड व्यापार विकास निधि प्रबन्धन समिति के रूप में जाना जाएगा जिसमें निम्नलिखित होंगे :-

(i)	मुख्य सचिव, उत्तराखण्ड शासन	–अध्यक्ष
(ii)	प्रमुख सचिव, वित्त, उत्तराखण्ड शासन	-सदस्य
(iii)	प्रमुख सचिव/सचिव, नगर विकास, उत्तराखण्ड शासन	-सदस्य
(iv)	प्रमुख सचिव/सचिव, पंचायती राज, उत्तराखण्ड शासन	-सदस्य
(v)	प्रमुख सचिव/सचिव, लोक निर्माण विभाग, उत्तराखण्ड शासन	-सदस्य
(vi)	प्रमुख सचिव/सचिव, ऊर्जा, उत्तराखण्ड शासन	-सदस्य
(vii)	प्रमुख सचिव/सचिव, पेयजल, उत्तराखण्ड शासन	-सदस्य
(viii)	प्रमुख सचिव/सचिव, ग्राम्य विकास, उत्तराखण्ड शासन	–सदस्य
(ix)	सचिव/अपर सचिव, वित्त, उत्तराखण्ड शासन	–संयोजक

- (2) बैठकों की प्रक्रिया, जिसमें अन्तराल, गणपूर्ति आदि शामिल हैं, ऐसी होगी, जैसी समिति द्वारा स्वयं निश्चित की जाय।
  - (3) समिति आवंटित मदों / कार्यों की भौतिक एवं वित्तीय प्रगति का अनुश्रवण करेगी।
- (4) सम्बन्धित विभागों का यह दायित्व होगा कि वे निधि से सिमिति द्वारा उनके लिए आवंटित धनराशि का समुचित उपयोग करें जिसके लिए वे निरन्तर अनुश्रवण करेंगे और राज्य सरकार के वित्त विभाग को मासिक भौतिक एवं वित्तीय रिपोर्ट प्रेषित करेंगे।
- (5) समिति निधि के लेखों का उचित अनुरक्षण सुनिश्चित करेगी।
- 5. लेखों के शीर्ष और वित्तीय प्रक्रियाएं-
- (1) अधिनियम के अधीन प्रवेश कर के उद्ग्रहण के आगम को लेखों के निम्नलिखित शीर्ष में जमा किया जायेगा, जैसी उत्तर प्रदेश माल के प्रवेश पर कर नियमावली, 1999 (उत्तराखण्ड राज्य में यथा प्रवृत्त) के अधीन व्यवस्था है:-

0040-बिक्री, व्यापार आदि पर कर।

102-राज्य वाणिज्य कर अधिनियम के अधीन प्राप्तियां।

05-उत्तराखण्ड माल के प्रवेश पर कर के अधीन प्राप्तियां।

01-कर संग्रह।

02-प्रवेश कर के अधीन निबन्धन पर फीस।

(2) लेखा के उपर्युक्त शीर्ष के अधीन प्रवेश कर की कुल वार्षिक प्राप्तियों को उत्तराखण्ड व्यापार विकास निधि में बजट व्यवस्था के माध्यम से राज्य सरकार के लोक लेखा के निम्नलिखित शीर्षों में विनियोग किया जायेगा :--

8229-विकास और कल्याण निधि।

200-अन्य विकास और कल्याण निधि।

01-उत्तराखण्ड व्यापार विकास निधि।

- (3) निधि से कार्यों के लिए बजट व्यवस्था वित्त विभाग के अनुदान संख्या 07 में की जायेगी।
- (4) निधि के लेखों का अनुरक्षण महालेखाकार, उत्तराखण्ड और वित्त विमाग द्वारा किया जायेगा। समिति को समय-समय पर या जब अपेक्षित हो, उसके विषय में सूचित किया जायेगा।

- (5) निधि से आवंदित धनराशि का उपयोग समिति द्वारा अनुमोदित उद्देश्यों / मदों के लिए किया जायेगा। यदि मदों के विभिन्न शीर्षों के अधीन आवंदित धनराशि को वित्तीय वर्ष की समाप्ति तक खर्च नहीं किया जाये तो अवशेष धनराशि को अम्यर्पित किया जायेगा और उसके सम्बन्ध में सूचना महालेखाकार, उत्तराखण्ड को उपलब्ध करायी जायेगी।
- (6) उत्तराखण्ड व्यापार विकास निधि की प्राप्तियां और खर्च महालेखाकार, उत्तराखण्ड द्वारा लेखा बही में रखे जायेंगे।
  - (7) निधि के लेखों की लेखा परीक्षा महालेखाकार, उत्तराखण्ड द्वारा की जायेगी।

आजा से.

आलोक कुमार जैन, प्रमुख सचिव, वित्त।

In pursuance of the provisions of Clause (3) of Article 348 of the Constitution of India, the Governor is pleased to order the publication of the following English translation of notification no. 134/XXVII(8)/Vanijya Kar(VAT)/2009, dated February 26, 2009 for general information:

#### NOTIFICATION

### February 26, 2009

No. 134/XXVII(8)/Vanijya Kar(VAT)/2009--In exercise of the powers conferred by clause (2) of Article 283 of the Constitution of India, read with sub-section (3) of section 14 of The Uttarakhand Tax on Entry of Goods into local Areas Act, 2008, the Governor is pleased to make the following Rules:--

THE UTTARAKHAND TAX ON ENTRY OF GOODS INTO LOCAL AREAS (FUND) RULES, 2009

## 1. Short Title and Commencement--

- (1) These Rules may be called The Uttarakhand Tax on Entry of Goods into Local Areas (Fund) Rules, 2009.
- (2) They shall come into force with immediate effect.

#### 2. Definitions--

In these rules, unless the context otherwise requires--

- (a) "Committee" means the committee constituted under sub-rule (1) of rule 4;
- (b) "Act" means the Uttarakhand Tax on Entry of Goods into Local Areas Act, 2008;
- (c) The words and expressions used but not defined in these rules shall have the same meaning as assigned to them in the Act.

## 3. Utilization of fund--

- (1) The amount available in the Fund shall be utilized for the purposes provided under section 14 of the Act.
- (2) Interest accrued on the fund amount shall be included in the Fund and shall be utilized in accordance with sub-rule (1).

### 4. Manner of utilization of fund-

(1) The determination of the items and criteria of the utilization of the Fund shall be done by a Committee which shall be called the Uttarakhand Trade Tax Development Fund Managing Committee comprising the following:--

(i) Chief Secretary, Uttarakhand —Chairman

(ii) Principal Secretary, Finance, Uttarakhand —Member

(iii) Principal Secretary/Secretary, Urban Development, Uttarakhand —Member

(iv) Principal Secretary/Secretary, Panchyatiraj, Uttarakhand —Member

-Convener

- (v)
   Principal Secretary/Secretary, Public Work Department, Uttarakhand
   -Member

   (vi)
   Principal Secretary/Secretary, Energy, Uttarakhand
   -Member

   (vii)
   Principal Secretary/Secretary, Pey Jal, Uttarakhand
   -Member

   (viii)
   Principal Secretary/Secretary, Rural Development, Uttarakhand
   -Member
- (2) The procedure of the meetings inlouding interval and quorum etc. shall be such as determined by the Committee itself.
  - (3) The Committee shall monitor the physical and financial progress of the allotted items/works.
- (4) It shall be the responsibility of concerned departments to properly utilize the amount alloted for them from the Fund by the Committee for which they shall monitor and forward the monthly physical and financial report to the finance department of the State Government.
  - (5) The Committee shall ensure proper maintenance of the accounts of the Fund.

Secretary/Additional Secretary, Finance, Uttarakhand

### 5. Heads of accounts and financial processes--

The proceeds of the levy of Entry Tax under the Act shall be deposited under the following heads of account as provided in The Uttar Pradesh Tax on Entry of Goods Rules, 1999 (as applicable to the State of Uttarakhand) —

0040-Tax on sale, trade etc.

102-Receipts under State Commercial Tax Act.

05-Receipts under Uttarakhand Tax on Entry of Goods.

01-Collection of tax.

02-Registration fees under entry tax.

(2) The gross annual receipts of entry tax under the above heads of account shall be appropriated in the following heads of public account of the State Government through budget provision:—

8229-Development and welfare fund.

200-Other development and welfare fund.

01-Uttarakhand trade development fund.

- (3) Budget provision for works from the Fund shall be made in grant No. 07 of the finance department.
- (4) Monitoring of the fund accounts shall be done by the Accountant General, Uttarakhand and the finance department Information about it shall be given to the Committee from time to time or when required.
- (5) The amount allotted from the Fund shall be utilized by the Committee for approved purposes/items. If the amount allotted under different heads of Account of the items is not utilized till the end of the financial year the balance amount shall be surrendered and information thereof shall be made available to the Accountant General, Uttarakhand.
- (6) The receipts and expenditure of the Uttarakhand Trade Development Fund shall be kept in the books of accounts of the Accountant General, Uttarakhand.
  - (7) The audit of accounts of the Fund shall be done by the Accountant General, Uttarakhand.

pendis sell instructored natiful grattopellyddaned lead By Order,

## वित्त अनुभाग-9

## अधिसूचना

13 मार्च, 2009 ई0

संख्या 155/27-9-2009/स्टाम्प-09/2009 आर0टी0आई0-सूचना का अधिकार अधिनियम-2005 (2005 का अधिनियम संख्या 22) की धारा 5 व 19 के अधीन प्रदत्त शक्तियों का प्रयोग करते हुए श्री राज्यपाल स्टाम्प एवं मनोरंजन कर विभाग के शासन स्तर हेतु निम्नांकित लोक प्राधिकारी इकाई के सम्मुख अंकित लोक सूचना अधिकारी एवं अपीलीय अधिकारी को सूचना का अधिकार अधिनियम, 2005 के अनुपालन में लोक सूचना अधिकारी एवं अपीलीय अधिकारी के रूप में अधिसूचित/नामित किये जाने की सहर्ष स्वीकृति प्रदान करते हैं:-

<b>かのその</b>	लोक प्राधिकारी इकाई	लोक सूचना अधिकारी	अपीलीय अधिकारी
1.	वित्त विभाग	श्री आर०आर० सिंह,	श्री एस०एस० वल्दिया,
	(स्टाम्प एवं रजिस्ट्रेशन	अनु सचिव,	उप सचिव,
	तथा मनोरंजन कर)	वित्त अनुभाग-9	वित्त अनुभाग-9

2-शासन की पूर्व अधिसूचना संख्या 267/XXVII(9)/स्टाम्प/2007, दिनांक 19 अक्टूबर, 2007, अधिसूचना संख्या 178/XXVII(9)/मनो०कर/2007, दिनांक 19 अक्टूबर, 2007 को इस सीमा तक संशोधित समझा जाय।

आज्ञा से,

आलोक कुमार जैन, प्रमुख सचिव।

# कार्यालय ज्ञाप

19 मार्च, 2009 ई0

संख्या 744/1(2)/2009-05/13/2003-उत्तराखण्ड (उत्तरांचल ऊर्जा विकास निधि नियमावली. 2004) अनुकूलन एवं उपान्तरण आदेश, 2007 में अग्रेत्तर संशोधन करने की राज्यपाल सहर्ष स्वीकृति प्रदान करते हैं :-

## उत्तराखण्ड (उत्तरांचल ऊर्जा विकास निधि नियमावली, 2004) (अनुकूलन एवं उपान्तरण आदेश, 2007) (संशोधन) नियमावली, 2009

- 1. संक्षिप्त नाम एवं प्रारम्थ— अवस्थि का lo 84E ecotA to (c) enceta to anomatic act to somewhat of
- (1) इस नियमावली का संक्षिप्त नाम उत्तराखण्ड (उत्तरांचल ऊर्जा विकास निधि नियमावली, 2004) (अनुकूलन एवं उपान्तरण आदेश, 2007) (संशोधन) नियमावली, 2009 है।
  - (2) यह राजपत्र में प्रकाशन की तारीख से प्रवृत्त होगी। and an account to account the cold
- 2. नियम 13 के उपनियम (1) व (3) को संशोधन-

उत्तरांचल ऊर्जा विकास निधि नियमावली, 2004 (जिसे यहां आगे मूल नियमावली कहा गया है) में नीचे स्तम्भ-1 में दिए गए वर्तमान नियम, 13 के उपनियम (1) व (3) के स्थान पर स्तम्भ-2 में दिया गया नियम रख दिया जायेगा, अर्थात:-

#### स्तम्भ-1

## (वर्तमान उपनियम)

13(1) निधि को अन्तरित समस्त धनराशि प्रशासनिक विभाग (ऊर्जा विभाग) द्वारा रखे गए व्यपगत न होने वाले पृथक लोक लेखा खाते (पी०एल०ए०) में रखी जायेगी जिसका रख-रखाव स्थापित नियमों के अनुसार किया जायेगा। पी०एल०ए० का शीर्षक 8443-सिविल जमा-800-अन्य जमा होगा।

(3) लोक लेखा खाते का संचालन शासन के ऊर्जा विभाग के अपर सचिव अथवा संयुक्त सचिव, जिसे राज्य सरकार इस निमित्त निर्दिष्ट करे, द्वारा किया जायेगा जो इस लोक लेखा खाते से धनराशि आहरित/ चैक जारी करने के लिए प्राधिकृत किए जायेंगे। लोक लेखा खाते (पी०एल०ए०) से घनराशि आहरित / चैक जारी करने से पूर्व ऊर्जा विभाग के प्रभारी सचिव से अनुमोदन प्राप्त किया जायेगा।

## नियम 14 का अन्तःस्थापन–

14-

#### स्तम्भ-1

## (एतदद्वारा प्रतिस्थापित उपनियम)

13(1) निधि को अन्तरित समस्त धनराशि प्रशासनिक विभाग (कर्जा विभाग) द्वारा लोक लेखा खाते (पी०एल०ए०) में रखी जायेगी, जिसका रख-रखाव स्थापित नियमों के अनुसार किया जायेगा तथा पी०एल०ए० का शीर्षक 8229-विकास तथा कल्याण निधि-110-विद्युत विकास निधि-(06-उत्तराखण्ड ऊर्जा विकास निधि) में जमा होगी। लोक लेखा खाते की धनराशि वित्तीय वर्ष के अन्त में व्यपगत (Lapsed) नहीं होगी, परन्तु पी०एल०ए० धारक प्राधिकारी द्वारा इस खाते का प्रतिवर्ष महालेखाकार से नवीनीकरण कराया जायेगा।

(3) लोक लेखा खाते के संचालन हेतू, शासन द्वारा इस हेत सजित विशेष प्रकोष्ठ के लिये नियत किये गये वित्त अधिकारी अथवा इरला चैक के वित्त अधिकारी को नामित किया जा सकता है। उक्त वित्त अधिकारी इस लोक लेखा खाते से धनराशि आहरित/चैक जारी करने के लिए प्राधिकृत किए जायेंगे। लोक लेखा खाते (पी०एल०ए०) से धनराशि आहरित/चैक जारी करने से पूर्व, ऊर्जा विभाग के प्रभारी सचिव से अनुमोदन प्राप्त किया जायेगा।

मूल नियमावली के नियम 13 के बाद एक नया नियम 14 अन्तःस्थापित कर दिया जायेगा, अर्थात :-

14-निधि के लेखों एवं निधि से विभिन्न संस्थाओं को निर्गत की गई धनराशि के उपयोग एवं उसके सम्बन्ध में रखे गये लेखों की महालेखाकार द्वारा समय-समय पर सम्परीक्षा करायी जायेगी।

आजा से.

प्रमात कुमार सारंगी,

In pursuance of the provisions of Clause (3) of Article 348 of the Constitution of India, the Governor is pleased to order the publication of the following English translation of notification no. 744/I(2)/2009-05/13/2003. dated March 19, 2009 for general information :

## OFFICE MEMORANDUM

#### March 19, 2009

No. 744/I(2)/2009-05/13/2003-The Governor is pleased to accord sanction to further amend the Uttarakhand (Uttaranchal Power Development Fund Rules, 2004) Adaptation and Modification Order, 2007.

THE UTTARAKHAND (THE UTTARANCHAL POWER DEVELOPMENT FUND RULES, 2004) (ADAPTATION AND MODIFICATION ORDER, 2007) (AMENDMENT) RULES, 2009

#### 1. Short Title and Commencement-

- (1) These Rules may be called The Uttarakhand (The Uttaranchal Power Development Fund Rules, 2004) (Adaptation and Modification Order, 2007) (Amendment) Rules, 2009.
  - (2) They shall come into force from the date of their publication in the official gazette.

## 2. Amendment of sub-rule (1) and (3) of Rule 13--

In the Uttaranchal Power Development Fund Rules, 2004 (hereinafter referred to in as Principal Rules) for the existing sub-rule (1) and (3) of rule 13 set out in Column-1 below, the sub-rule as set out in Column-2, shall be substituted, namely :--

#### Column-1

### (Existing Sub-rules)

13(1) All the money transferred to the fund shall be kept in a separate non-lapsable P.L.A. Account maintained by the Administrative Department (Energy Department), the maintenance of which will be done as per established rules. The Head of P.L.A. shall be 8443-Civil Deposit-800-Other Deposit.

(3) The P.L.A. Account shall be operated by the Additional Secretary or Joint Secretary of the Energy Department in the Government whom the Government so designate, who will be authorized to withdraw money/issue cheque out of the P.L.A. Account. Before withdrawal of money/issue of cheques, approval of the Secretary-in-charge of the Energy Department shall be taken.

#### 3. Insertion of rule 14--

#### Column-2

## (Sub-rules as hereby substituted)

13(1) All the money transferred to the fund shall be kept in Public Ledger Account by the Administrative Department (Energy Department), and will be deposited under P.L.A. heading 8229 Development and Welfare Fund-110-Energy Development Fund-(06-The Uttarakhand Power Development Fund), the maintenance of which will be done as per established rules. The amount in the Public Ledger Account shall not lapse at the end of the financial year, however, the Public Ledger Account holding authority shall get the Account renewed annually by the Accountant General.

(3) The Government may nominate the Account Officer appointed for the Special Cell for the purpose or the Account Officer of IRLA Cheque to operate the Public Ledger Account. The said officer shall be authorized to withdraw money/issue cheques out of this Public Ledger Account. Before withdrawal of money/issue of cheques out of the Public Ledger Account, the approval of the Secretary-in-charge of the Energy Department shall be taken.

A new rule 14 shall be inserted after rule 13 of the Principal Rules, Namely:--

14. Periodical audit of the records, maintained for the money released to various institutions out of the Accounts and the Fund and its utilization shall be done by the Accountant General.

By Order,

PRABHAT KUMAR SARANGI, Secretary.



# सरकारी गजट, उत्तराखण्ड

## उत्तराखण्ड सरकार द्वारा प्रकाशित

रुड़की, शनिवार, दिनांक 11 अप्रैल, 2009 ई0 (चैत्र 21, 1931 शक सम्वत्)

## भाग 1-क

नियम, कार्य-विधियां, आज्ञाएं, विज्ञप्तियां इत्यादि जिनको उत्तराखण्ड के राज्यपाल महोदय, विभिन्न विभागों के अध्यक्ष तथा राजस्व परिषद् ने जारी किया

## कार्यालय, आयुक्त कर, उत्तराखण्ड (स्थापना–अनुभाग)

आदेश

## 25 मार्च, 2009 ई0

पत्रांक 4656/आयु0क0उत्तरा0/स्था0अनु0/2008-09/दे0दून-उत्तराखण्ड मूल्यवर्धित कर नियमावली, 2005 के नियम 3 के उपनियम 2 के अन्तर्गत प्रदत्त अधिकारों का प्रयोग करते हुए विज्ञप्ति संख्या 3883/आयु0क0उत्तरा0/वाणि0कर/स्था0अनु0/एफ-46/08-09, दिनांक 07-02-2009 में संशोधन किया जाना आवश्यक होने के कारण आंशिक संशोधन करते हुए असिस्टेंट किमश्नर, वाणिज्य कर, मण्डल कार्यालय, कोटद्वार के अधिकार क्षेत्र की भौगोलिक सीमा को निम्न प्रकार अवधारित किया जाता है :-

1-असिस्टेन्ट कमिश्नर, वाणिज्य कर, मण्डल कार्यालय, कोटद्वार-

वर्तमान में मण्डल कार्यालय, कोटद्वार के लिए अवधारित समस्त कार्यक्षेत्र (तहसील यमकेश्वर के यमकेश्वर ब्लॉक को छोड़कर)।

## 25 मार्च, 2009 ई0

पत्रांक 4657/आयु0क0उत्तरा0/स्था0अनु0/2008-09/दे0दून-उत्तराखण्ड मूल्यवर्धित कर नियमावली, 2005 के नियम 3 के उपनियम 2 के अन्तर्गत प्रदत्त अधिकारों का प्रयोग करते हुए विज्ञप्ति संख्या 4250/आयु0क0उत्तरा0/वाणि0कर/स्था0अनु0, दिनांक 02-03-2009, में संशोधन किया जाना आवश्यक होने के कारण आंशिक संशोधन करते हुए असिस्टेन्ट कमिश्नर, खण्ड-2, ऋषिकेश, असिस्टेन्ट कमिश्नर, वाणिज्य कर, खण्ड कार्यालय, मसूरी के अधिकार क्षेत्र का निर्धारण एवं एतद् परिप्रेक्ष्य में असिस्टेन्ट कमिश्नर, वाणिज्य कर, खण्ड-3, ऋषिकेश, कार्यालय के अधिक्षेत्र की भौगोलिक सीमा को निम्न प्रकार अवधारित किया जाता है :-

1-असिस्टेन्ट कमिश्नर, वाणिज्य कर, खण्ड-2, ऋषिकेश-

खण्ड-1 ऋषिकेश के अधिक्षेत्र को छोड़कर तहसील ऋषिकेश का शेष समस्त क्षेत्र, टिहरी जिले की नरेन्द्र नगर तहसील का समस्त क्षेत्र एवं पौड़ी गढ़वाल की तहसील यमकेश्वर का यमकेश्वर ब्लॉक का समस्त क्षेत्र।

2-असिस्टेन्ट कमिश्नर, वाणिज्य कर, खण्ड-3, ऋषिकेश-

टिहरी जिले का समस्त क्षेत्र (तहसील नरेन्द्र नगर व धनोल्टी को छोड़कर)।

3-असिस्टेन्ट कमिश्नर, वाणिज्य कर, खण्ड कार्यालय, मसूरी-

जिला देहरादून की मसूरी तहसील के अन्तर्गत आने वाला समस्त क्षेत्र तथा जिला टिहरी गढ़वाल की तहसील धनोल्टी के अन्तर्गत आने वाला समस्त क्षेत्र।

उपरोक्त विज्ञप्ति दिनांक 01-04-2009 से प्रभावी होगी।

वी0 के0 सक्सेना, प्रभारी आयुक्त, कर, उत्तराखण्ड।

# Office of the Director General, Medical Health & F.W. (C.M.S.D. Section) Uttarakhand, Dehradun

## Notification No. Equipment-2/2009 Rate Contract of Equipments

January 21, 2009

No. 15P/Store/Equip Pur/16/2008/2466--In exercise of the power delegated in G.O. No. 1246/Chi-3-2002-122/2002, Dated 6-01-2003 the rate contract of equipments mentioned in Annexure 'B' is made with the firms mentioned in Annexure 'A' for supply in the State Government in Medical & Health Service Department for the period until the supply is satisfactory completed in accordance with the aforesaid (only) for RC and valid upto 31st March, 2009 of notification for the rate contract until extended by a special order on the following terms & conditions:--

- The firms shall made supplies in manufacturers original packing as indicated in column-5 for name of make unless otherwise stated. The supplying firms will be required to clearly mention on the lable the name of the manufacturer.
- 2. The firms will have to give a written warranty to the effect that supplies confirm to the approved standard specification for the equipment as given in approved schedules and the goods/equip, are new and unused of the most recent or current models as per specifications having no defect arising from design materials or workmanship having no defect arising from design materials or workmanship or form any fact or emission of the supplier.
- Indenting Officers are requested to make the 90% payment within 60 days after receipt of goods verifying the conditions of equipment unless they have valid reasons for withholding the same, in which case the circumstances under which the payment is withhelded should be communicated to the Director General of Medical Health & F.W., Uttarakhand, Dehradun.
- Indenting Officers may place order direct on the firms and copy to the manufacturing firms in case supplies are to be made through distributor along with a copy there of this office.
- 5. Deductions from the bills, if any, should be made only after getting an explanation from the supplying firms about shortage or breakage within a month of receipt of goods from the supplying firms obtained. In no case goods should be accepted without verification where there any doubt has arisen or the packing is broken in case the consignment is insured authorities would be intimated immediately preferably through telegram followed by the supplier.
- Indenting Officers are advised to return the duty free excise passes to the supplying firms duly received and signed at the earliest after receipt of goods.

- Where excise duty has been mentioned inclusively the firm will certify that excise duty claimed by them has actually been paid by them to Govt. Supplying firms will have to furnish a certificate along with the bill to the effect that excise duty claimed in the actual amount assessed by the Govt. of India and is levyable during the period it has been claimed, the supplier will also have to certify that the items on which the excise duty is being claimed by them are actually covered by the excise duty assessment.
- 8. Every care has been taken to see that rates quoted and approved have been correctly notified in the notification but in case any discrepancy either in rates or in specification or any nature in other details, it will be the duty of the firm that they should intimate to the C.M.S.D. under registered cover latest within a month so that necessary action may be taken.
- 9. The firms while sending the bills will certify that the rates charged are applicable and have also been approved by the C.M.S.D. and in case of any default they are prepared to make adjustments
- 10. The firms should also certify on the bills that the supplies are according to specifications AND THE MAKE APPROVED BY THE Director General, Medical Health & F.W., Uttarakhand and are in accordance with the latest Rules & Regulations pertaing to that equipment to be use in the country.
- 11. The attention of the Indenting Officers is drawn to the various lists of items published by the firms. It has been found that in some cases the firms include unapproved itmes in their lists of approved items. It's responsibility of the Indenting Officer to consult the Gazette Notification before placking the actual order and see that the order for only approved items are places. Such cases of Misrepresentation should immediately be brought to the notice of Director General, Medical Health & F.W., Uttarakhand (C.M.S.D.), Dehradun, sending copy of the list printed, by the particular firms in case any firm is found of doing so, strict action will be taken against them and their names will be deleted from rate contract without any notice to them and in addition they may be debarred.
- 12. No assistance will be provided for release of the raw material or procruement of Import Licence.
- 13. The Director General, Medical Health & F.W., Uttarakhand (C.M.S.D.), Dehradun reserves the right to call Tender for Quantity contract.
- 14. It will be condition of the contract that although during the currency of the contract the price approved in this rate contract arrangement will remain firm but however in the event of price going down the contractor shall promptly furnish such information to enable this office to amend the contracted rates for supply at rate lower than the rate contract the attention of the firm is drawn to it.
- 15. Any sum of money payable to the contractor including the security deposit returnable to them under this contract may be forefeited by Director General, Medical Health & F.W., Uttarakhand, Dehradun and set of against any claim of the Governor and payment of a sum of money arising out of or under any other contract made by contractor with the Governor.
- 16. Director General, Medical Health & F.W., Uttarakhand, Dehradun or his authorized representative may inspect the premises of the manufacturing units to assess and verify that the items quoted as own made are actually manufactured by them.
- 17. All supplies shall have to be made strictly confirming to approved specification in accordance with the latest approval.
- 18. If at any time during the said period of contract, contractor reduces sale price of such stares or sells such stares to any other person at price lower than the price chargable under the contract he shall forth with notify such reduction of sale to the Director General, Medical Health & F.W., Uttarakhand, Dehradun and the price payable under contract for the stores supplied at the price payable under contract for the stores supplied at the date of coming into force of such reduction of sale-shall stand correspondingly reduced. The above stipulation will not however apply to
  - a exports by the contractor;
  - b. sale of goods as original goods at a price lower than the price charged for normal replacement.

- The contractor shall furnish to the Director General, Medical Health & F.W., Uttarakhand, Dehradun at intervals mentioned below:—
  - Within a month of commencement of the contract a certificate as to the rates prevailing of the commencement of the rates contract.
  - b. Within a month of expiry of every six month a certificate as to the rates prevailing during preceding six months.
  - And at the end of the rate contract within a month of expiry of the contract a certificate on the following form:—

I/We certify that the stores description indentical to the are supplied to Government under the contract here in have not been sold by us to any other person after the commencement of the rate contract during the period of the rate contract from 21.01.09 to 31st March, 2009. At a price lower than the price charged to the Government under the contract for the quantity except of under. Sub-clause (A) & (B) of para 10 above.

- 20. Supplies must be completed within time limit and started inorder/issue of order (whichever is earlier) from the Indenting Officer. Under unavoidable circumstances in continuation of supply order, a further period of one month can be granted for execution of supply order an sale description of Indenting Officer failing which full information should be sent to this Directorate (C.M.S.D.) section to take necessary action against the firm.
- 21. The Indenting Officer as should give the supply order to the firm whose rates are lowest as mentioned in the enclosed Annexure 'A' if lowest quoting firm does not supply within state time from the date of issue of the order from Indenting Officer a further period can be extended up to four weeks if the firm apply for such extension before the expiry of stated time giving valid satisfactory reasons. In Case of non-supply the names of such defaulting firm should be intimated to Government C.M.S.D. Section of the Directorate by registered post so that the necessary action against the firm will be taken.
- 22. Full payment shall be made on complete installation checking & on satisfactory performance receipt of goods its checking etc. after 90 days from the date of installation & checking performance of goods by the Indenting Officers.
- 23. In the event of the prices being gone down the contracting firm may please intimate the same to the Director General of Medical Health & Family Welfare, Uttarakhand, Dehradun immediately for issuing necessary corrigendum in this regards and they will also charge the reduced rates from the Indenting Officers of the State, in case such information is received from the contracting firm that they are selling items approved in their favour at the reduce rates either in open market or any where also. The Director General, Medical Health & F.W., Uttarakhand, Dehradun reserves the right to cancel the itmes of entire contract finalized with them and to debar the firm from further tendering.
- 24. In case supplies are found substandard for which part payment/full payment has been made the firm may be asked to replace them within the specified period. This however shall not debar Indenting Officer of Director General, Medical Health & F.W., Uttarakhnad for action against the firm.
  - In case firm fails to replace the material/equipment within the period specified by the Indenting Officer the firm shall refund the full payment received by them forth with irrespective of the fact that the supplied item may have been used for some time, they may in addition liable for action as per clause of the agreement.
- 25. This contract shall exclusively be governed by the terms and conditions mentioned in this notification the relevant conditions mentioned in the tender notice C.M.S.D. tender form and relevant conditions mentioned in the agreement form (sent to the firm alongwith acceptance letter separately) and agreements agreed by the firm.
- 26. The Indenting Officers are advised to report the damages/defects noticed in supplies to suppliers for notification repairs replacement, as the case may be, within sixty day, of the receipt installation/ performance on the material failing which it will be their own responsibility.
- 27. In case of any complaint against the supplier for delay in supplies or defective supplies etc., the Indenting Officers are advised to report the matter to the Director General, Medical Health & F.W., Uttarakhand, Dehradun (C.M.S.D. Section) promptly for necessary action by registered post

- Supplies will have to be made F.O.R. destination by road/railway station in Uttarakhand by goods train as shown in annexure 'A' for order of Rs. 1000/-and above.
- 29. The Indenting Officers are requested to send the copy of the supply order to Sales Tax and Income Tax authorities to enable them to keep watch on the payment of Taxes.
- A separate agreement regarding warranty/post warranty/CMC/AMC services will have to be signed by the supplier.
- 31. In case of any legal dispute the area of jurisdiction will be Uttarakhand only.
- 32. The Firm should deposit 10% of total cost of equipment/item as Performance Guarantee in the form of Bank Guarantee in favour of Indenting Officer valid upto 60 days after date of completion of performance obligation including warranty obligation.
- 33. Paid Comprehensive Maintenance Contract (CMC)/Annual Maintenance Contract (AMC) wherever applicable will have be paid yearly after the given period on the basis of previous performance of the firm in which minimum 3 mandatory visits are compulsory to produced at the time claim alongwith the 10% of Performance Guarantee of total contract value.

#### ANNEXURE 'A'

#### Equipment-2/2009

Subject: Rate contract arrangement of equipment for the period from 21st January, 2009 to 31st March, 2009.

SI.No.	Name of Firm	Telephone no.	F.O.R. Destination		S
1.	M/s Shree Chandra Mauli 101, Vasundhra Colony, Tonk Road, Jaipur 302 108	0141-(R) 2705995 Fax no. 0132-2660861 0141-2712085	F.O.R. Destination	. Three	E CONTE
2.	M/s SSMS (I) Pvt. Ltd. F-2 Industrial Area, Bhimtal, Nainital-263136	05942-248138, 247945 Fax no. 05942-248138	-do-		
3.	M/s Kay & Co. B-316, Phase I, Okhla Industrial Area, New Delhi-110 020	011-51708655 to 59 Fax no. 011-51613432, 51613433	-do-		
4	M/s Meditronics Mfg. Co. Pvt. Ltd. 101 Shiv Industrial Estate, K.B.B. Marg, Chinchpokli, Mumbai-12	022-23719143, 23771739 Fax no23791272	-do-		

à.
ш
_
$\Rightarrow$
Щ
-
20
102

Remark	NICATI E	i anover in annexum is for early of the 100 crand above se tracement. If the major are requested to reins the poly of the winder potential Sale after the second defined to read which on the payment of Toxas.
Rates	F.O.R. Destination Rs.	with 3 year AMC after 1 year warranty inc. of all taxes
R	CMSD D. Dun	and Commeter Travel City of City of Commeter City of the Commeter City of City of Comments of City of
AWC/CMC Make/Brand/ for 3 years Supplying Firm		M/s Kay & Co.
AWC/CMC for 3 years		FOODS BEINGE
	CST Rs.	294.00 and pound and principle in the second and a second
Taxes	SST/	Edition and a second se
Ţ.	ED/Custom Duty	The I regarding control of the service of the servi
Rates per unit	Rs.	00°00586
O.		EDETHY CONTRACTOR
Item with Specification		(specification enclosed as Annexure A-1)
S. S.		

### ANNEXURE A-1

#### Technical Specification

## SUCTION MACHINE (Electric)

- 1. Anti Corrosive Chassis & Stainless Steel Top.
- 2. Noise level of suction apparatus from is 50 dB +/-03 dB.
- 3. Electrical Requirement-220~240V, 50Hz, 1 Phase.
- Ideal for MTP/medical/surgical procedures.
- 5. Rotary Vane Type Vacuum Pump with-740 +/-10 mm Hg.
- 6. Free air displacement 40~60 ltrs/min.
- 7. Heavy duty HN-65 antistatic castors.
- 8. 320 Watt, 1440 RPM, 1/2H.P. Electric Motor or better.
- 9. 100 mm Vacuum Gauge.
- 10. Non collapsible Sillicon tubing.
- 11. 2 x 2.0 Liters or more Polycarbonate jars with overflow safety.
- 12. Bacterial filter fitted on top.
- 13. ISI Marked Suction Machine.
- 14. Quality Approved from Bureau of Indian Standards, New Delhi.
- The unit should confirm to BIS/ISI/ISO/FDA/CE or equivalent.

A	
ш	
5	
0	
天	
S	

St. Item with Specification No.	ğ	Rates per unit	Ta	Taxes		AMC/CMC for 3 years	AMC/CMC Make/Brand/ for 3 years Supplying Firm	ůž.	Rates	Remark
		Rs.	ED/Custom Duty	SST/	CST Rs.			CMSD D. Dun	F.O.R. Destination Rs.	
WHOLE BODY ULTRA SOUND SCANNER (specification enclosed as Annexure A-1)	~. <del>€</del>	7,95,000,00 Inc.	no.	Inc.	31800.00	oui	M/s Meditronics		8.26,800.00 with 3 year CMC after 1 year warranty inc. of all taxes	
9				And the particular transfer and the	VIELES WORLDWOOM STREET OF BOILE OF SECURIOR AND SECURIOR		Action to the month of the MARCHA	English and Application of the second	mot into its rest it executions.  The sign of Section is a sign of the sign of	various de la mari

## ANNEXURE A-1

## Whole Body Ultrasound Scanner

OL Mo	Technical Specification	
SI. No.	Multipurpose diagnostic Ultrasound Machine with compact trolley and backlit operating console.	
1.	The equipment should be suitable for whole body imaging with full digital technology.	
2. 3.	The unit should have capability for diagnosing Abdominal, Vascular, OB/Gynac, Cardiac & Orological applications.	1
4.	The unit should have various imaging modes of B, B/B, BM, M, B/D, imaging.	
5.	Unit should have 256 grey scales.	
6.	Unit should support convex/linear/phassed array scanning modes.	- 2
7.	Unit should have minimum 3 ports connectivity.	
	System should be supplied with following Multi frequency broadband high density probes.	
	2-5 MHz frequency range Convex probe for general purpose abdominal OB/gynac application.	
8.	5-10 MHz frequency range Linear probe for vascular, small part, thyroid application.	
9.	Unit should have high resolution medical grade monitor LCD Monitor of size not less than 14" Tilt, S	
10.	Unit should have dynamic focusing, tissue harmonic imaging, digital transmit & beam forming for excimage quality.	ellen
11.	System should have reliable operating system with facility to upgrade through software.	
12.	System should have USB connection for image transfer & lane networking capabilities.	
13.	Unit should be upgradeable to Color Doppler imaging in future.	
14.	System should have DICOM support & connectivity.	
15.	The unit should confirm to BIS/ISO/ISI/FDA/CE or equivalent.	
16.	Unit should provide with thermal Printer and on line UPS with one hour back up.	_

ark		I-A SPUNCHOL
Remark		Whole Body Ultrasount Scanner
Rates	F.O.R. Destination Rs.	1,68,480.00 with 3 year CMC after 1 year warranty inc. of all taxes  reminded a profit of the second
ž	CMSD D. Dun	with the often restability (or stagment described Wascurer Vascurer)  (Constitution of the constitution of
for 3 years Supplying Firm		Asteros 9000 plus M/s M/s Meditronics Meditronics Asteros
for 3 years	- Anire	The product of a profit of the Conservation of
	CST Rs.	64800.00  See that is a second of the manual manual and a second of the
Idaes	SST/	Parties and send for formal appropriate 1 selfs free
0	ED/Custom Duty	come strance are constant operating systems by transport congrues transport of the system operation operation of the system operation operatio
Kates per unit	Rs.	em strautt fizzie DICOM ing poit A connoctivity  original and a property of an annual control
Ė		
tem with specification		(specification enclosed as Annexure A-2)
No.		ğ'

#### ANNEXURE A-2

## Specification of Boyles Apparatus with Vapourizer

- Construction should be Tubular, rigid, electro statically powder coated steel section.
- Cylinder yokes should be Gas specific yokes with sliding stainless steel clamping bars for easy handling.
   Two each for oxygen and nitrous oxide cylinders.
- Table top should be Stainless steel.
- Mobility: Four large diameter anti-static castor wheels with ball bearings. Front castors have brakes.
- Pressure gauges: 3 each for oxygen and nitrous oxide, 2 for Cylinder pressure & 1 for Central Gas Supply.
- Central Gas Supply: 1 connector each for Oxygen, Nitrous Oxide & Air for connecting to Central Gas Supply.
- Non-return-cum-pressure release valve: Minimizes risk of back flow of gases, blows off when pressure exceeds 200cm of water column.
- OFWD (Oxygen Failure Warning Device): Pneumatic device which activates audiable alram (for minimum of 10 secs) when oxygen supply pressure falls to 205kPa.
- 9. Vapourizers: Space to connect at least two vapourizers of choice. The unit should be supplied with Halothane vapourizer: agent specific, colour coded temperature, flow & pressure compensated with graduation from 0.5 to 6% halothane. If recalibration is required at any time, it shall be done free of cost by the company upto 5 years from the date of installation. During repair/calibration, standby unit, if required, will be provided by the supplier free of cost.
- 10. Flowmeters: 5 tube backlight flow meter to be provided with flow meters calibrated in double scale 02 & N20 and single for Air. Accuracy and clarity in reading. 02→ 0.1 to 10lit/min. N20→0.2 to 10 lit/min. Supplied flow meter should have inbuilt Hypoxic guard.
- Oxygen flush : Emergency outlet for supply of 02 to patient.
- Circle absorber Easy movable circle sysem (single or double chamber)
- Easy open & close circuit switch should be available in the machine at convenient angle.
- Accessories : Rigid top tray for monitors.
- 2 built in oxygen outlets (4.22 kg/cm²) for driving ventilators etc.
- Space for ventilator.
- The unit should confirm to BIS/ISI/ISO/FDA/CE or equivalent.
- 18. Accessories :
  - Magill circuit complete.
  - (ii) Bain circuit complete (adult & paed)
  - (iii) Trolley should have 3 drawers.
  - (iv) Key spanner for A type cylinder-2 nos.
  - (v) 1, 1.5 & 2 lit antistatic rebreathing bag-1 each.
  - (vi) Face mask for adult & paediatric.

7	•
u	ı
Ξ	3
Ξ	0
	2
Ц	J
3	E
Ċ	٥

Kates	CMSD F.O.R. D. Dun Destination Rs.	Cylinder yokes should be Gas specific yokes with stiding stainlisss attent 3 hear (CMC affect five each for oxygen and nitrous exide cylinders (CMC affect five each for oxygen and nitrous exide cylinders (CMC affect five each for cashing street five cashor wheels with ball bearings. Front cashor cashor wheels with ball bearings.	A.
irm	ପ୍ର ପ	Pressure gauges: 3 each for oxygen and nitrous oxide, 2 for Cynnuc pressure 8 : Supply	1.0
Make/Brand/ Supplying Firm	d neces	Pressure gauges: 3 each for oxygen and nitrous oxide, 2 for Cynnuct pressure & connector each for Oxygen Militaus Oxide & Air for oxygen Williams Oxide & Air for oxygen with Supply Supply Non-repart—dum-dressors reseasely alive, Militarizes ask of buck flow ox garden oxygen Oxideds 200cm of weter oxiding	7
for 3 years Supplying Firm	Rs.	OF WD (Oxygen Failure Warning Revice). Pneumatic device which activates a scieble of 16 secs) when oxygen supply pressure falls to 205kPa	8
TOP	CST Rs.	vapourcer : agent aprofic, colour coded temperature, llow & prossure compensated .80 0 to 5% haldbraine. If recalibration is required at any time, it shall be done free of compute a years from the date of installation. Eving requirestoration, stansby time.9	
dAco	SST/ VAT	<ul> <li>by the supplier free of cost</li> <li>Flowmeters -5 tune packing the moter to be provided warribly meters calkbrated in a</li> </ul>	
8	ED/Custom Duty	W2D and single for Ave Apouracy and clunty in reading 02→ 0.1 to 15/Mmin. N20— Supplied flow meter should have inbull. Hypoxic good.  Oxyged flush: Emergency culter for exppty of 02 to patient.  Clinia approach of East in walking clude sustain for size or double sharehold.	11
nates per unit	Rs.	Essy open & cross-cusus switch smooth be available to the macture of convenent so Accessories. Figures to tray for montains.	g.E.
Ė		Space Ar vanitating	- 01
Item with Specification		Technical Specification  Technical Specification  The unit should be fully micro computerized system  The unit should have large bright displays to monitor and for viewing from a distance. The unit should have double digital display system provided to measure the infant temperature and to set the required temperature for easy operation. The unit should have Bar graph LED system provided for easy operation. The unit should have Bar graph LED system provided to indicate the heater output. There should be provision for Manual control system. The unit should have Fault indications with alarm for Baby probe failure; temperature cut-off, power failure. Baby probe is made of highly sensitive sensor and is interchangeable, field calibration taken care of by software. The probe is made up of silicon sheathed cable, which allows easy cleaning. The large baby tray should be made of stainless steel frame with three side acrylic collapsible walls, trendelenburg & fowler system provided. There should be provision for a halogen based observation light.	The Single element should be ceramic heather (ISI/CE/FDA or Equivalent Approved) placed in a parabolic reflector

Remark		AMNEXONE AD  Fire Purior or boy in American with Vertice 22		Bollifalt
	F.O.R. Destination	por expension and statement, right, effecting analysis possions consist gross terminal in the property of the constant and th	20.03	The section of
X.	CMSD D. Dun	The large districts into state and the state of the state in the large state of the	CMBT	
AMC/CMC Make/Brand/ for 3 years Supplying Firm		The contract of the Contract Annual Three Annual Contract Annu	enti	mig holyddaga
AMC/CMC for 3 years:		LIFE FOR A VEHICLE PROCESS OF THE PROCESS OF A STATE OF THE PROCESS OF T	11	
	CST		183	
Taxes	SST/		N.S.S.	
Tao	ED/Custom Duly	TO A CHARGE AND THE WAY TO SELECT AND A DESCRIPTION OF THE PARTY OF TH	WITH CONTRACT	
Rates per unit			3.	
É		· · · · · · · · · · · · · · · · · · ·	-	
Item with Specification		There should be provision for keeping oxygen cylinder The unit should provide with IV stand The unit should provide monitor tray Physical parameters Mattress- Length: 700mm, Width: 500mm, Thickness: 50mm Working level from ground: 1020mm Baby tray is tilt angle on either side: +/-9deg. max Castors: 100mm with 2 brake wheels and 2 non-brake wheels Recommended Environmental Specifications: Temperature range: 20 deg. C to 33 deg. C Storage temperature range: 25deg. C to 60 deg. C Operating humidity range: 0-100% RH Skin Temperature Probe: Range: 28 deg. C to 38 deg. C Accuracy: +/-0.2 deg. C within range Resolution: 0.1 deg. C Probe interchangeability: +/-0.2 deg. C (Servo) Heater output controllable from 0 to 100% in manual mode (continously variable) Observation Light: Halogen based power requirement: 12V, 50W Electrical supply: 220V-240VAC 50Hz The heater power consumption at max: 750W Electrical Safety: As per IEC-60607:1-2 for medical equipments The unit should confirm to BIS/ISI/ISO/FDA/		
S. S.		F 0F F L J F > H + O E L F W 0 O W L 4 L L L L L L L L L L L L L L L L L		

S S	Item with Specification	Oţ.	Rates per unit	Ta	Taxes		AMC/CMC for 3 years	AMCKMC Make/Brand/ for 3 years Supplying Firm	œ	Rates	Remark
			Rs.	ED/Custom	SST/	CST			CMSD	FO.R.	
	Go de militationi			Duty	VAT Rs.				D. Dun	Destination Rs.	
-	NSTRUMENT STERILIZER ELECTRIC (big)		2790.00		111.00			M/s SSMS		2,901.00	
	Efective Solding Soldings on which 300V									Inc. of all taxes	
	1 Confirming to IS 5022-1989 with latest amendments										
Was short	<ol> <li>Electrically heated boiler, disinfections by boiling in antiseptic solution of surgical instruments, syringe/glass &amp; china ware</li> </ol>										
26. 2	3. Fully automatic temperature controlled by thermostat										
4	4. Single lever fitted of lid and tray										
900	5. Stainless steel construction. The whole body and all the accessories should be SS										
Φ.	<ol> <li>Complete with safety cable, plug &amp; socket and perforated try</li> </ol>										
7	7: Unit filled with heat resistant wiring and thermal cut off										
00	8. All handles and grips shall be insulated						= 1R				
0)	9. Fitted with drain out connection										
-	10. Power supply 220-240 VAC, 50 Hz							40			
	11. Size-610 mm (length)x 230mm (width) x 170mm (depth)										
	12.In addition to other instruments, the sterilizer shall also accommodate cheatle forceps			comp							
-	13. Equipment must conform to relevant			- Disc	EST.	120			Chillip	SOR	
	Electrical, safety and general standard for Medical equipment as per IS 8607	9	munitary bay	Test		9,8	V.2 Arround International	upplying Etm	20		- Management
				The state of the s					Ī		

SI. No.	Item with Specification	ğ	Rates per unit	<u></u>	Taxes		AMC/CMC for 3 years	AMCCMC Make/Brand/ for 3 years Supplying Firm	S.	Rates	Remark
			Rs.	ED/Custom Duty	SST/ VAT Rs.	CST			CMSD D. Dun	F.O.R. Destination Rs.	
	B.P. INSTRUMENT (stant)		1025.00	E	41.00	111	1	M/s SSMS	t	1,066.00 Inc. of all	
	[Sphymomanometer with (stand)]									taxes	
+	. 3.5mm glass tube										
N	. Measuring scope : 0-300 mmHg										
(r)	Sub-division: 2mm Hg										
4	. Accuracy : +/-3mmHg										
ю	. Safety on-off knob for mercury										
Ø.	. Adult size cotton cuff with D-bar and artery indicator label										
~	. Standard latex two-tube bladder and inflating bulb										
80	. Two-piece stainless steel stand column adjustable from 105-146 cm										
-O	9. 5 piece castors with brakes	7=									
-	10. Aluminium body										
	11. The unit should be ISI/BIS certified								10,000		
-	2.00 OBIT ONE										
	- William Migratory									17447	
_	II = MEASTWENT LIPPIS?		180		TM DATE			ZADATI MAA		00 150	
-			la la	The state of the s	监禁员				0.000	HO7	45
	notherhood discussion	Ē	Market Mark				SALDONO SALDONO	Make Water Flam		2	Names:

No.	Item with Specification	ğ	Rates per unit	Ta	Taxes		AMC/CMC for 3 years	AMC/CMC Make/Brand/ for 3 years Supplying Firm	œ	Rates	Remark
			Rs.	ED/Custom Duty	SST/ VAT Rs.	CST			CMSD D. Dun	F.O.R. Destination Rs.	
+	B.P. INSTRUMENT (Table)		299.00		24.00			M/s SSMS		623,00 Inc. of all	
	[Sphymomanometer]									taxes	
<u>*-</u>	3.5mm glass tube										
N.	Measuring scope : 0-300 mmHg										
(7)	Sub-division : 2mm Hg										
4	Accuracy: +/-3mmHg										
ഹ	Safety on-off knob for mercury										
Ø	Adult size cotton cuff with D-bar and artery indicator label										V
7.	Standard latex two-tube bladder and inflating bulb										
80	Box type aluminium ( push button type)										
ග්	Color gray										
-	10. The unit should be ISI/BIS certified										
	Appearance or a neighbor of the second										
	TOTAL THE THEFT OWEN COUNTY									1	
-	BESCHART BOMBAT CARIOR				ij.			SP 15 11		IIPO CHI	
				H	5.25				15.0	Brenthin Chi	
9 -	Anatha efficiency (Anthern Franti	Vil.		Ŷ			TWING THE	tibliog Brooks), Anti'l spilotyro	i i		No.

	The state of the s	Š.	Rates per unit	1.0	Taxes		AMC/CMC for 3 years	AMCKCMC Make/Brand/ for 3 years Supplying Firm	ř	Rates (in Rs.)	Кетагк
			Rs.	ED/Custom Duty	SST/ VAT Rs.	CST			CMSD D. Dun	F.O.R. Destination Rs.	
-	PATIENT EXAMINATION COUCH		7995.00		319.00	t	ī	M/s Shree Chandra Mauli	C =	8,314.00 Inc. of all taxes	
2	Minimum overall dimension:										
-	<ol> <li>Overall size 6.5 feet L x 2feet Wx 4feet</li> <li>H Backrest size 450mm Lx 510mm W</li> </ol>										
O	Construction :										
CA _	<ol> <li>Couch should have gas spring assisted adjustable backrest with uphoistered top</li> </ol>										
(1)	Upper section with three drawers. Lower section has three cabinets with three doors, swinging tray for BP Apparatus										
ш	Finish										
4	4. Table top should be made with SS										
43	<ol><li>The top should be minimum 25mmSs sheet</li></ol>										
4	6. All M S components should be epoxy coated, 50 microns										
17	7. Conforming to BIS standards 4033 or equivalent										
					2.			MY SINKS		10 mg	
-				200	s iz	8			2000	NATE AND ADDRESS OF THE PERSON NATIONAL PROPERTY AND ADDRESS OF TH	
55		4		4				Mary Mary Establish	5	Na.	Manual Co.

Remark	Ē								Manual Man
Rates	F.O.R. Destination Rs.	566.00 Inc. of all taxes					Antes 11 = 11 = 123,539,000	Sangang Sangang	faR (t) ast
œ	CMSD D. Dun								
AMC/CMC Make/Brand/ for 3 years Supplying Firm		M/s SSMS	32						The property of
AMC/CMC for 3 years			-13-04						Conforcial (A)
	CST								
axes	SST/ VAT Rs.	21.00					0	158	1
Та	ED/Custom Duty				N	7		1000	
Rates per unit	Rs.	545.00						E	Month Ilon
Š.				70					8
Item with Specification		Overall height of the step shall be	43.18 cms	Making approximately 22.86 cms for bottom step and approximately 20.32 cms for the second step, the two steps shall be with six legs fabricated out of 25 mm Dia MS pipe and using Dia 16mm pipe for cross supports	The steps top two nos. of size 22.86cmsx 50cms out of 18Swg sheet weided properly and fitted with aluminium tread flats/rubber mat sheet Epoxy coated and legs are provided with plastic shoes.  The above product should conform to applicable ISO/ISI/BiS standard in respect of materials, welding, test & performance	Tubular frame 25 m diameter gauge 16 Top of the steps should be covered by rubber mat			
No.				2	6 4 €	9			8 1.

s Remark	F.O.R. Destination Rs.	1,123.00 Inc. of all taxes			1									1 To 1 To 1	9860 00	notheritary Marketinan	
Rates	CMSD D. Dun De	- E 23			77-11											Di Calari	200
AMCCMC Make/Brand/ for 3 years Supplying Firm		M/s Shree Chandra Mauli						1 1 24							TWO IS NOT		mi-lipsychia mi-lipsychia
AMC/CMC for 3 years																	ON J. Phones
	CST																
ses	SST/ VAT Rs.	43.00		7											20 10	10	
Taxes	ED/Custom Duty	4														Down (Lightprost)	5
Rates per unit	Rs.	1080.00													1117.0000		Table 1
Q,					Mes												3
Item with Specification		OVER BED TABLE	Overall size 1060 mmx 360 mmx 100 mm	Table top size 850 mm (L) x 370mm(B), fixed height	Tubular steel frame work with water proof laminated top 450 mm	Swiveling casters	Pre treated epoxy powder coated	Equipment should conform applicable ISI/BIS standard in respect of materials, welding, test and performance									
			1.	2. T	ω ⊢ <u>π</u>	4	70	ρ. Π π λ	Ē	0	9	20	- 100			-	

	Item with Specification	É	Rates per unit	B	Taxes		AMC/CMC for 3 years	AMCCMC Make/Brand/ for 3 years Supplying Firm	ŭ	Rates	Remark
0			Rs.	ED/Custom Duty	SST/ VAT Rs.	CST	1		CMSD D. Dun	F.O.R. Destination Rs.	1
	HARD BED		4400.00	IX	19600	1	:	M/s SSMS	1	4,596.00 Inc. of all taxes	
-	Size 2090 +/-5mm x 910+/-5mm x 600+/- mm										
N	Top, Two section								11		
3	Back rest adjustable on a ratchet										
4	Head bow 1050+/-5 mm										
ro,	Foot bow 820+/-5 mm				11						
ø	Rubber: feet										
1	Provision for four rods IV road and mosquito net poles										
00	Materials: CRCS sheets 16 gauge on top bow packet 12 G CRCS sheet frame rectangular tube 60 x 30 x 16 base thickness, Horizontal bar 19x38x16 Bench rest horizontal 50x25x16 round tube bow-3 to 7 diameter x 18 gauge										
6	Preheated and powder coated										
0	10. Load test 200 kg										
· que	11. Should provide with mattress of leather foam, water proof 50mm thickness, brown in colour, with zip at one end							1			
N	12. Should provide with pillows with double cover, inner cotton, outer covered with rexine with zip on one side and the filling material 600gms polygell			E	2152			40.00	1 5	5 2 5	
60	13. Equipment should conform applicable, ISI/BIS standard in respect of materials, welding, test and performance	- 120 - S	- 18		F 3	E	and house	malin si ma	Chrifte		148

## Notification No. Equipment-1/2009 Rate Contract of Equipments

January 03, 2009

No. 15P/Store/Equip Pur/16/2008/242--In exercise of the power delegated in G.O. No. 1246/Chi-3-2002-122/2002, Dated 6-01-2003 the rate contract of equipments mentioned in Annexure 'B' is made with the firms mentioned in.

Annexure 'A' for supply in the State Government in Medical & Health Services Department for the period until the supply is satisfactory completed in accordance with the aforesaid (only) for RC and valid upto 31st March, 2009 of notification for the rate contract until extended by a special order on the following terms & conditions:—

- The firms shall made supplies in manufacturers original packing as indicated in column-5 for name of make unless other wise stated. The supplying firms will be required to clearly mention on the lable the name of the manufacturer.
- 2. The firms will have to give a written warranty to the effect that supplies confirm to the approved standard specification for the equipment as given in approved schedules and the goods/equip, are new and unused of the most recent or current models as per specifications having no defect arising from design materials or workmanship having no defect arising from design materials or workmanship or form any fact or emission of the supplier.
- Indenting Officers are requested to make the 90% payment within 60 days after receipt of goods verifying the conditions of equipment unless they have valid reasons for with holding the same, in which case the circumstances under which the payment is withhelded should be communicated to the Director General of Medical Health & F.W., Uttarakhand, Dehradun.
- 4 Indenting Officers may place order direct on the firms and copy to the manufacturing firms in case supplies are to be made through distributor along with a copy there of the this office.
- Deductions from the bills if any should be made only after getting an explanation from the supplying firms about shortage or breakage within a month of receipt of goods from the supplying firms obtained. In no case goods should be accepted without verification where there any doubt has arisen or the packing is broken in case the consignment is insured authorities would be intimated immediately preferably through telegram followed by the supplier.
- Indenting Officers are advised to return the duty free excise passes to the supplying firms duly received and signed at the earliest after receipt of goods.
- 7. Where excise duty has been mentioned inclusively the firm will certify that excise duty claimed by them has actually been paid by them to Govt. Supplying firms will have to furnish a certificate along with the bill to the effect that excise duty claimed in the actual amount assessed by the Govt. of India and is levyable during the period it has been claimed, the supplier will also have to certify that the items on which the excise duty is being claimed by them are actually covered by the excise duty assessment.
- 8. Every care has been taken to see that rates quoted and approved have been correctly notified in the notification but in case any discrepancy either in rates or in specification or any nature in other details, it will be the duty of the firm that they should intimate to the C.M.S.D. under registered cover latest within a month so that necessary action may be taken.
- The firms while sending the bills will certify that the rates charged are applicable and have also been approved by the C.M.S.D. and in case of any default they are prepared to make adjustments.
- 10. The firms should also certify on the bills that the supplies are according to specifications AND THE MAKE APPROVED BY THE Director General, Medical Health & F.W., Uttarakhand and are in accordance with the latest Rules & Regulations pertaining to that equipment to be use in the country.

- 11. The attention of the Indenting Officers is drawn to the various lists of items published by the firms. It has been found that in some cases the firms include unapproved items in their lists of approved items. It's responsibility of the Indenting Officers to consult the Gazette Notification before packing the actual order and see that the order for only approved items are places. Such cases of Misrepresentation should immediately be brought to the notice of Director General, Medical Health & F.W., Uttarakhand (C.M.S.D.), Dehradiin sending copy of the list printed, by the particular firms in case any firm is found of doing so, strict action will be taken against them and their names will be deleted from rate contract without any notice to them and in addition they may be debarred.
- 12. No Assistance will be provided for release of the raw material or procurement of Import Licence.
- The Director General, Medical Health & F.W., Uttarakhand (C.M.S.D.), Dehradun reserves the right to call Tender for Quantity Contract.
- 14. It will be condition of the contract that although during the currency of the contract the price approved in this rate contract arrangement will remain firm but however in the event of price going down the contractor shall promptly furnish such information to enable this office to amend the contracted rates for supply at rate lower than the rate contract the attention of the firm is drawn to it.
- 15. Any sum of money payable to the contractor including the security deposit returnable to them under this contract may be forefeited by Director General, Medical Health & F.W., Uttarakhand, Dehradun and set of against any claim of the Governor and payment of a sum of money arising out of or under any other contract made by contractor with the Governor.
- 16. Director General, Medical Health & F.W., Uttarakhand, Dehradun or his authorized representative may inspect the premises of the manufacturing units to assess and verify that the items quoted as own made are actually manufactured by them.
- All supplies shall have to be made strictly confirming to approved specification in accordance with the latest approval.
- 18. If at any time during the said period of contract, contractor reduces sale price of such stares or sells such stares to any other person at price lower than the price chargable under the contract he shall forth with notify such reduction of sale to the Director General, Medical Health & F.W., Uttarakhand, Dehradun and the price payable under contract for the stores supplied at the price payable under contract for the stores supplied at the date of coming into force of such reduction of sale shall stand correspondingly reduced. The above stipulation will not however apply to-
  - a. exports by the contractor.
  - b. sale of goods as original goods at a price lower than the price charged for normal replacement.
- The contractor shall furnish to the Director General, Medical Health & F.W., Uttarakhand, Dehradun at intervals mentioned below:—
  - Within a month of commencement of the contract a certificate as to the rates prevailing of the commencement of the rates contract.
  - b. Within a month of expiry of every six month a certificate as to the rates prevailing during preceding six months.
  - And at the end of the rate contract within a month of expiry of the contract a certificate on the following form:—

I/We certify that the stores description indentical to the are supplied to Government under the contract here in have not been sold by us to any other person after the commencement of the rate contract during the period of the rate contract from 3rd January, 2009 to 31st March, 2009. At a price lower than the price charged to the Government under the contract for the quantity except of under Sub clause (A) & (B) of para 10 above.

20. Supplies must be completed within time limit and started in order/issue of order (whichever is earlier) from the Indenting Officer. Under unavoidable circumstances in continuation of supply order, a further period of one month can be granted for execution of supply order an sale description of Indenting Officer failing which full information should be sent to this Directorate (C.M.S.D.) section to take necessary action against the firm.

- 21. The Indenting Officer should give the supply order to the firm whose rates are lowest as mentioned in the enclosed Annexure 'A'. If lowest quoting firm does not supply within state time from the date of issue of the order from Indenting Officer a further period can be extended to four weeks if the firm apply for such extension before the expiry of stated time giving valid satisfactory reasons. In Case of nonsupply the names of such defaulting firm should be intimated to Government C.M.S.D. Section of the Directorate by registered post so that the necessary action against the firm will be taken.
- 22. Full payment shall be made on complete installation checking & on satisfactory performance receipt of goods its checking etc. after 90 days from the date of installation & checking performance of goods by the Indenting Officers.
- 23. In the event of the prices being gone down the contracting firm may please intimate the same to the Director General of Medical Health & Family Welfare, Uttarakhand, Dehradun immediately for issuing necessary corrigendum in this regards and they will also charge the reduced rates from the Indenting Officers of the State, in case such information is received from the contracting firm that they are selling items approved in their favour at the reduced rates either in open market or any where also. The Director General, Medical Health & F.W., Uttarakhand, Dehradun reserves the right to cancel the itmes of entire contract finalized with them and to debar the firm from further tendering.
- 24. In case supplies are found substandard for which part payment/full payment has been made the firm may be asked to replace them within the specified period this however shall not debar. Indenting Officer of Director General, Medical Health & F.W., Uttarakhnad for action against the firm.
  - In case firm fails to replace the material/equipment within the period specified by the Indenting Officer the firm shall refund the full payment received by them forth with irrespective of the fact that the supplied item may have been used for some time, they may in addition liable for action as per clause of the agreement.
- 25. This contract shall exclusively be governed by the terms and conditions mentioned in this notification the relevant conditions mentioned in the tender notice C.M.S.D. tender form and relevant conditions mentioned in the agreement form (sent to the firm alongwith acceptance letter separately) and agreements agreed by the firm.
- 26. The Indenting Officers are advised to report the damages/defects noticed in supplies to suppliers for notification repair replacement, as the case may be, within sixty day of the receipt installation/ performance on the material failing which it will be their own responsibility.
- 27. In case of any complaint against the supplier for delay in supplies or defective supplies etc., the Indenting Officers are advised to report the matter to the Director General, Medical Health & F.W., Uttarakhand, Dehradun (C.M.S.D. Section) promptly for necessary action by registered post.
- Supplies will have to be made F.O.R. destination by Road/Railway Station in Uttarkhand by goods train as shown in annexure 'A' for order of Rs. 1000/-and above.
- 29. The Indenting Officers are requested to send the copy of the supply order to Sales Tax and Income Tax authorities to enable them to keep watch on the payment of Taxes.
- A separate agreement regarding warranty/post warranty/CMC/AMC services will have to be signed by the supplier.
- 31. In case of any Legal Dispute the area of Jurisdiction will be Uttarakhand only.
- 32. The Firm should deposit 10% of total cost of equipment/item as Performance Guarantee in the form of Bank Guarantee in favour of Indenting Officer valid upto 60 days after date of completion of performance obligation including warranty obligation.
- 33. Paid Comprehensive Maintenance Contract (C.M.C.)/Annual Maintenance Contract (A.M.C.) wherever applicable will have be paid yearly after the given period on the basis of previous performance of the firm in which minimum 3 mandatory visit is compulsory to produced at the time claim alongwith the 10% of Performance Guarantee of total contract value.

#### ANNEXURE 'A'

### Equipment-1/2009

Subject: Rate contract arrangement of equipment for the period from 3<sup>rd</sup> January, 2009 to 31<sup>st</sup> March, 2009.

SI.No.	Name of Firm	Telephone No.	F.O.R. Destination	
1.	101, Vasundhra Colony, Tonk Road, Jaipur 302 108	0141-2712085	F.O.R. Destination	
2			-do- -do-	
3.	M/s SSMS(I) Pvt. Ltd. F-2, Industrial Area, Bhimtal, Nainital-263136	05942-248138, 247945 Fax no. 05942-248138	-do-Turt-t fizes of the	

Ç
1
j
٥
2
i
Ė
5

Vella I				North Age
Kates	P.O.R. Destination Rs.	lnc. of all taxes	Politicesport SOB	
e Y	D. Dun		Carpon Carpon	
Make/Brand/ Supplying Firm		M/s Shree Chandra Mauli		Terroritation of the second
AMC for 3 years		ti		10 JC JC
	CST	i.	B	
Taxes	SST/ VAT Rs.	180.00 180.00	7	
Tao	ED/Custom Duty		Ned TH	8,
Rates per unit	CC CC	2890.00		Marin Mark
S.		× C P P P P P P P P P P P P P P P P P P	c	- 2
Item with Specification		Overall Dimension: 2150-2200mm L x 900-950mm Wx 600-625mm H  The bed frame measuring size 2070 mm L x 910mm Wy approximately should be made from rectangular tube of minimum size 60 mm x 30 mm x 16 SWG  It should house four section top made from pressed bent uniformly perforated 16 G CRCA sheet. The backrest section and the leg rest section sheet mounted on 25.4. Dia x 1.60 mm ERW tubes bent to form 3 side. The second section should be supported on MS rectangular tube. Thigh section should be made from 25mm x 5mm MS flats welded with 1.22 mm thick CRCA sheet. The backrest section and thigh section should be adjusted by screw mechanism separately. The backrest and thigh section should be adjusted by screw provided in the backrest and thigh rest section. The leg rest section should be adjusted on three different inclinations on ratchet flat 30mm x 55mm x S.S. bend shafting of 10mm Dia with 6mm Dia x 18 G ERW tubes SS Shafting handle. It should have tubular horizontal support of 25 mm x	1.2 mm ERW tubes. Both bows shall be welded with bow brackets on which main frame of the hed shall be boiled	make protection of the could
S. S.		+ 4 6		The second

Remark		(*) (*) (*) (*) (*)							- Action of
Rates	F.O.R. Destination							Salterita de	1
	CMSD D. Dun								
Make/Brand/ Supplying Firm							Stranger Williams		HESTING ALLE
AMC for 3 years		1	ST TO THE	- 1					U Tallor
	CST	1						ĕ	
Taxes	SST/ VAT	1					1 h	± 2,5	
	ED/Custom Duty							Ame Ame	÷
Rates per unit					14		683.00	E.	
Ġ.									3
Item with Specification	all part of the second of the	There should provision to hold mosquito curtain poles. The bed should be fitted with 100 rmm Dia castor wheels two with break and two without breaks socketted inside ERW vertically tube of head bow and leg bow. The bed should have provision to hold urine bag	All metal components should be thoroughly pre-treated chemically in eight tank pre-treatment system. The treated metal surface should then be coated with white Epoxy Polyester Power with paint film thickness of 50 microns of more and oven banked at 180 degree to 200 degree centrigrade	Both head and leg boes should be of the 31.75 mm Dia, 18G ERW tubes	Both bows one horizontal and four vertical tubular supports the head bows and leg bow are 1057 mm (+/-5mm) and 820mm (+/-5mm) height respectively	Should provide with mattress of leather foam, water proof, 50 mm thickness, brown in colour, with zip at one end	Should provide with pillows with double cover, inner cotton, outer covered with rexine with zip on one side and the filling material 600gms polygell	10. Shold conform applicable ISO/ISI/BIS standard in respect of materials, welding & performance	
SI. No.		4	4 4 4 4 4 4 4 4	9	F, B 110	60	o o c c c	10	

Remark				Ecresian
Rates	F.O.R. Destination Rs.	5,783.00 Inc. of all taxes		
	CMSD D. Dun	1	14	
Make/Brand/ Supplying Firm		M/s Shree Chandra Mauli		Manual Transfer
3 years		:		y tit-te
	CST	1		
Taxes	SST/ VAT Rs.	168.00 168.00	K	
	ED/Custom Duty	1	The state of the s	
Rates per unit	Rs.	5615.00	A	THE PERSON NAMED IN
Š.				ě.
Item with Specification		Minimum Overall Dimension: 2150-2250+/-5mm (L) × 900-950+/-5mm (W) × 600+/-5mm (L) × 900-950+/-5mm (W) × 600+/-5mm (H), with Mattress Size.  Construction:  Mattress plate form: This should comply with the minimum following requirements:— the bed should be uniformly perforated min 18 G thickness CRCA sheet in two section. Backrest section should be adjusted by screw mechanism. Backrest and sheet top should be welded to the U bend outer tube. Backrest section should be welded to the U bend outer tube. Backrest section should be double bent width wise & lengthwise on all four wedges and welded to the main frame. E) Plate form should be supported by horizontal rectangular tubes (4 Minimum)  The main frame, which supports the both section, should be frame from rectangular tubular welded construction. It should have two vertical upright welded with another support. Top of the upright support. Top of the upright support.	bracket. Let should be fitted to the under side of the bed frame. Thrust bearing should be fitted to prevent	
SI.	11.31	÷ 7. 3.		-

	Item with Specification	ğ	Rates per unit	Ta	Taxes		AMC for 3 years	Make/Brand/ Supplying Firm	œ	Rates	Remark
			Rs.	ED/Custom Dufy	SST/ VAT Rs.	CST	П		CMSD D. Dun	F.O.R. Destination Rs.	
	wear and tear of screw mechanism and allow mechanism to rotate freely										
0	The material used should be of minimum following specification:—frame should be of ERW min 60 mm x 16 G and 40 mm x 20 mm (16 G thickness) rectangular tubes. Min 31.75 mm (18 G ERW) tube for legs. Stainless steel min 31.75 mm x 18 G tube for head leg and bows. Backrest section with 25.4 mm (14 G tube) and min thickness CRCA steel sheet. Leg rest section with min 25.4 mm x min 18 G thickness CRCA sheet						2				
က်	Saline Rod-Stainless steel telescopic saline rod of micron 12 mm Dia should be adjustable in stainless steel tubular socket and should be locked with knob inside it should be quoted in optional										
	Mattress-10 cm thick mattress-Fully covered with high quality leather foam and should be stain free										
	Finish-All M.S. component should be epoxy coated, at least 50 micron										
	Should provide Waterproof rubber mattress (antiseptic) of minimum 50mm thickness										
	Should provide with mattress of leather foam, water proof 50mm thickness, brown in colour, with zip at one end		8					SCHIEL STATE		Heat)	
00	Should provide with pillows with double cover, inner cotton, outer covered with rexine with zip on one side and the filling material 600gms polygell		Note to		EFU.	2.1		publikus IIII	100		
	Conforming to ISO/BIS standards 4033 or equivalent		Mrs. Del				M C M	those Oronial II		Y	100000000000000000000000000000000000000

-	r
÷	•
ш	1
_	4
Ξ	)
C	1
Ц	J
I	
C	)

d/ Rates Remark	CMSD F.O.R. D. Dun Destination Rs.	714.00 - Inc. of all taxes												104-10- at 1	23 20 50	SCOTT CONTROL OF STREET	Rott
Make/Brand/ Supplying Firm		M/s Shree Chandra Mauli															
AMC for 3 years		1															VPUC 184
	CST	H															
Taxes	SST/ VAT Rs.	@ 3%													à	S.E.	
-	ED/Custom Duty	ä														Page 1	
Rates per unit	Rs.	694.00													We not	弘	Annual Line
Oth.			10	8			d)					_		-5:41			િફ
Item with Specification		CUSHION SEAT & back Chair (cover)	Height of the seat 43-44 cms from the floor level	Seat size 48x43 (length and breadth)	Height of the chair from the ground to the top of the back rest 81-83 cm	Seat and backrest to be cushioned with minimum 5 cms thickness	The material used for the cushion is to be cleanable and washable	Provide hand rest with 30mm cushion	Angle of the back rest to be comfortable	Surface to be smooth with fine finish	Chair should be fully rust proof	10. It should be sturdy	11. It should conform ISI/ISO series certification				
No.			÷	4.	ю — —	4	က်	6.	7.	80	6	10	£.				0.0

No.	Item with Specification	Ė	Rates per unit	<u> </u>	Taxes		AMC for 3 years	Make/Brand/ Supplying Firm		Rates	Remark
			Rs.	ED/Custom Duty	SST/ VAT Rs.	CST	24		CMSD D. Dun	F.O.R. Destination Rs.	
	OFFICE TABLE (Big)		3235.00	1	97.00	1	П	M/s Shree Chandra Maufi	9	3,332.00 Inc. of all taxes	
57	Height should be 30"										
6	In the right side there should be 3 drawers unit and one box unit in the left side	- n:									
n	Tubular frame 25m diameter gauge 16 with a cross bar for foot rest										
4	The drawers and the box (L) should be independently lockable										
N)	Should provide three set of keys										
9	The table top size 5' x 3'		4								
1	The table top should be minimum 1 inch thick with pre laminated high quality water proof board										
00	Table should be stand on four nylon bush										
on-	All other parts should be chemically treated and epoxy powder coated with minimum 50 microns.										
7	10. Conforming to ISO/BIS standards 4033 or equivalent										
	CURHION SEVI. T pseu		6					71		Of No.	
-			5	Total Total		j ji			1 Sept.	Stagistron (11)	
-	a calcaep mie mill	8	On Joseph		3			HERWICH THE		25	

er Taxes AMC for Make/Brand/ Rates Remark 3 years Supplying Firm	ED/Custom SST/ CST CMSD F.O.R. D. Duty VAT D. Dun Destination Rs.	Mauli (axes 73.00)  T3.00 Chandra Inc. of all (axes Inc. of all (a	Description Communication Comm
Rates per	Rs	2440.00	t
Item with Specification Qty.		OFFICE TABLE (Normal)  1. Height should be 30"  2. In the right side there should be 3 drawers unit.  3. The drawers and the box should be independently lockable with pre faminated.  4. Tubular frame 25m diameter gauge 16 with a cross bar for foot rest.  5. Should provide three set of keys.  6. The table top size 4" x 2.5".  7. The table top should be minimum 1 inch thick with pre laminated high quality water proof board.  8. Table should be stand on four nylon bush.  9. All other parts should be chemically treated and epoxy powder coated with minimum 50 microns.  10. Conforming to ISO/BIS standards 4033 or equivalent.	

7-
Q.
LLI
$\supset$
ш
I
O
10

85.00 M/s Shree Chandra Mauli Maul	No.	Item with Specification	j.	Rates per unit	t,	Taxes		AMC for 3 years	Make/Brand/ Supplying Firm		Rates	
STEEL ALMIRAH (Small) 283.00 Mis Shree Mus Shree Mus chief Mus shree Mustifuse of pedestal height. Sem (inclusive of pedestal height) Width-75cm Depth-45cm Three adjustable shelves forming four compariments and shelves and 22 SWG for the doors and shelves and 22 SWG for the doors with the footest should be made up of Anti- the footest should be across which inter locks body at the top and the bottom with the help at original shaped for through plated mon-ferrous metal alloy to be a torge-indicated or chrome plated mon-ferrous metal alloy to be a torge-indicated plated mon-ferrous metal alloy to be a sufficient spot-wielded to the back of the doors  Compariment which interpretation that shaped full height steel sufficients spot-wielded for through of a sufficient spot-wielded for through of a sufficient spot-wielded for through the made in respect of mannerials, welding, set & performance Conforming to BIS standards 4033 on a specification of the conforming to BIS standard in respect of mannerials, welding, set & performance Conforming to BIS standards are sufficient to the conforming to BIS standards are sufficient to				Rs.	ED/Custom Duty	SST/ RS.	CST	1		CMSD D. Dun	F.O.R. Destination Rs.	.R. nation s.
Height-128 cm (inclusive of pedestal height-128 cm (inclusive of pedestal height-128 cm (inclusive of pedestal height-126 m)  Depth-45cm  Depth-45cm  Depth-45cm  Depth-45cm  Pretreated quality CRCA steel conforming four compartments  Pretreated quality CRCA steel conforming four lost-128 cm of the doors  Pretreated quality CRCA steel conforming or 128 cm of 128 cm				2830.00	t	85.00 @ 3%	1	ŧ	M/s Shree Chandra Mauli	1	2,914.00 Inc. of all taxes	00 III
Height-128 cm (inclusive of pedestal Meight).  Width-76cm Depth-45cm Three adjustable shelves forming four compartments Pretreated quality CRCA steel conforming for the doors Pretreated quality CRCA steel conforming for the doors Pretreated quality CRCA steel conforming for the doors In CRCA steel conforming for the doors In CRCA steel conforming for the doors In CRCA steel conformed to the form of the four steel of 50 In case Celsius The footers should be made up of Anti- Rust Steel components would have In steel components would have In steel components would have In the welding to ensure adjuly and strength Three weby beling device which inter locks body at the top and the bottom with the help and the top and the bottom with the help plated non-ferrous metal alloy to be stiffeners spok-weided to the back of the doors CCC out of the Almirah should be Grey The above product should conform to applicable ISI standard un respect of materials, welding test & performance CCC orforming to BIS standards 4033 or	-											
Width-76cm Depth-45cm The adjustable shelves forming four compartments Pretreated quality CRCA steel conforming to IS-513 cn. D. Quality, 25 WG for the doors Epoxy polyester powder coated of 50 microns dry film thickness and oven baked an a uniform temperature of 180 to 200 degree Celsius. The footrest should be made up of Anti- frootrest should be made up of Anti- frootrest should be made up of Anti- frootrest should be be done with Aus Steel and properly fixed to the bottom of the aliminah All steel components would have multibend construction to be done with the help All steel components which inter locks book at the roborn with the help a tongue-ingrove mechanism plus a 6 lever unpickable lock, to be made of chrome by all shaped full helpht steel stiffened by Hat shaped full helpht steel stiffened by Hat shaped full helpht steel stiffened shed conform to applicable ISI standard in respect of materials welding test & performance Colour of the Almirah should be Grey The above product should conform to applicable ISI standard in respect of materials welding test & performance Conforming to BIS standards 4033 or		1. Height-128 cm (inclusive of pedestal										
Depth-45cm Three adjustable shelves forming four compartments Pretreated quality CRCA steel conforming four compartments Fretreated quality CRCA steel conforming four compartments Fretreated quality CRCA steel conforming for Use 2 SWG for body and shelves and 22 SWG for body and shelves and 22 SWG for body and shelves and oven baked and shelves and soven baked at a uniform temperature of 180 to 200 degree Celsius.  The footrest should be made up of Anti-recognized to the bottom of the atiminal and properly fixed to the bottom of the atiminal has been as the footrest should have multiplend construction to be done with tack welding to ensure nigidity and strength. Three way boliting device which inter locks body at the top and the bottom with the help a tongue-ingrove mechanism pus a 6 lever unpickable lock, to be made of chrome plated non-terrous metal alloy to be siffeners spot-welded to the back of the donors.  Colour of the Almirah should be Grey in respect of materials welding lest & performance of applicable iSI standard in respect of applicable iSI standard in respect of applicable iSI standard in respect of materials welding lest & performance materials.	7.4	Width-76cm										
Three adjustable shelves forming four compartments Pretreated quality CRCA steel conforming to 18-513 Gr. D. Quality, 22 SWG for body and shelves and 22 SWG for body and shelves and 22 SWG for the doors Epoxy polyesite powder coated of 50 microns dry film thickness and oven baked at a uniform temperature of 180 to 200 degree Celsius. The footiest should be made up of Anti- Rust Steel and properly fixed to the bottom of the atmirah As teal components would have multibend construction to be done with tack welding to ensure rigidity and strength at seel components which inter locks body at the top and the bottom with the help a tongue-ingrove mechanism plus a 6 lever unpickable lock, to be made of chrome plated non-ferrous metal alloy to be made of chrome plated on the back of the stiffener's spot-welded to the back of the stiffener's should conform to applicable iSI standard in respect of materials, welding, test & performance materials, welding, test & performance c. Conforming to BIS standards 4033 or												
Pretreated quality CRCA steel conforming to IS-513 Gr. D. Quality, 22 SWG for body and shelves and 22 SWG for the doors Epoxy polyester powder coated of 50 microns dry film thickness and oven baked at a uniform temperature of 180 to 200 degree Celsius.  The footrest should be made up of Anti- Rust Steel and properly fixed to the bottom of the alminah and strength at each components would have multibend construction to be done with tack welding to ensure rigidity and strength. Three way botting device which inter locks body at the top and the bottom with the help a tongue-ingrove mechanism plus a 6 lever unpickable lock, to be made of chrome plated non-ferrous metal alloy to the stiffened by Hat shaped full height steel stiffened by Hat shaped full height steel stiffened by Hat shaped full height steel stiffened is Issandard in respect of materials, welding, test & performance Conforming to BIS standards 4033 or	4											
and shelves to the doors  Epoxy polyester powder coated of 50 microns dry film thickness and oven baked at a uniform temperature of 180 to 200 degree Celsius.  The footrest should be made up of Anti- Rust Steel and properly fixed to the bottom of the almirah. All steel components would have multibend construction to be done with tack welding to ensure rigidity and strength Three way bolling device which inter locks body at the top and the bottom with the help a longue-ingrove mechanism plus a 6 lever unpickable lock, to be made of chrome plated non-ferrous metal alloy to be stiffened by Hat shaped full height steel stiffened by Hat shaped full height steel stiffened should conform to abplicable Isl standard in respect of materials, welding, test & performance Conforming to BIS standard at should sale	/											
Epoxy polyester powder coated of 50 microns dry film thickness and oven baked at a uniform temperature of 180 to 200 degree Celsius.  The footrest should be made up of Anti- Rust Steel and properly fixed to the bottom of the almirah  All steel components would have multibend construction to be done with tack welding to ensure rigidity and strength Three way bolting device which inter locks body at the top and the bottom with the help body at the top and the bottom with the help a tongue-ingrove mechanism plus a 6 lever unpickable lock, to be made of chrome plated non-ferrous metal alloy to be stiffened by Hat shaped full height steel stiffeners spot-welded to the back of the doors  Colour of the Almirah should be Grey The above product should conform to adoors  Colour of the Almirah steel stiffeners welding, test & performance materials, welding, test & performance Conforming to BIS standards 4033 or	-	and shelves and 22 SWG for the doors										
microns dry film thickness and oven baked at a uniform temperature of 180 to 200 degree Celsius.  The footrest should be made up of Anti-Rust Steel and properly fixed to the bottom of the almirah. All steel components would have with multibend construction to be done with multibend construction to be done with the way botting device which inter locks body at the top and the bottom with the help a tongue-ingrove mechanism plus a 6 lever unpickable lock, to be made of chrome plated non-ferrous metal alloy to be used of chrome plated non-ferrous metal alloy to be stiffeners spot-welded to the back of the doors.  3. Colour of the Almirah should be Grey of materials, welding, test & performance applicable iSI standards 4033 or materials, welding, test & performance. Conforming to BIS standards 4033 or	w.											
degree Celsius.  The footrest should be made up of Anti- Rust Steel and properly fixed to the bottom of the almirah. All steel components would have multibend construction to be done with tack welding to ensure rigidity and strength Three way botting device which inter locks body at the top and the bottom with the help a tongue-ingrove mechanism plus a 6 lever unpickable lock, to be made of chrome plated non-terrous metal alloy to be stiffened by Hat shaped full height steel stiffened by Hat shaped full height steel stiffened spot-welded to the back of the doors  Ocolour of the Almirah should be Grey The above product should conform to applicable ISI standard in respect of materials, welding, test & performance materials, welding, test & performance Conforming to BIS standards 4033 or	-	microns dry film thickness and oven baked at a uniform temperature of 180 to 200										
Rust. Steel and properly fixed to the bottom  Rust Steel and properly fixed to the bottom  of the aimrah  All steel components would have multibend construction to be done with tack welding to ensure rigidity and strength Three way botting device which inter locks body at the top and the bottom with the help a tongue-ingrove mechanism plus a 6 lever unpickable lock, to be made of chrome plated non-ferrous metal alloy to be stiffened by Hat shaped full height steel stiffened by Hat shaped full height steel stiffened by Hat shaped full be Grey Colour of the Almirah should be Grey The above product should conform to applicable is Standard in respect of materials, welding, test & performance materials, welding, test & performance conforming to BIS standards 4033 or		degree Celsius.										
All steel components would have multisteel components would have multisteel components would have multisteel components would have multisteel construction to be done with tack welding to ensure rigidity and strength Three way bolting device which inter tocks body at the top and the bottom with the help a tongue-ingrove mechanism plus a 6 iever unpickable lock, to be made of chrome plated non-ferrous metal alloy to be stiffened by Hat shaped full height steel stiffened by Hat shaped full height steel stiffened by Hat shaped full height steel stiffened by Hat shaped full be Grey The above product should be Grey The above product should conform to applicable ISI standard in respect of materials, welding, test & performance Conforming to BIS standards 4033 or	13	13.0								19		
All steel components would have multibend construction to be done with tack welding to ensure rigidity and strength. Three way bolting device which inter locks body at the top and the bottom with the help a tongue-ingrove mechanism plus a 6 lever unpickable lock, to be made of chrome plated non-ferrous metal alloy to be stiffened by Hat shaped full height steel stiffened by Hat shaped full height steel stiffened by Hat shaped full be Grey Colour of the Almirah should be Grey The above product should conform to applicable iSI standard in respect of materials, welding, test & performance.	-	Kust Steel and properly fixed to the bottom of the almirah	_									
tack welding to ensure rigidity and strength Three way bolting device which inter locks body at the top and the bottom with the help a tongue-ingrove mechanism plus a 6 lever unpickable lock, to be made of chrome plated non-ferrous metal alloy to be stiffened by Hat shaped full height steel stiffened by Hat shaped full height steel stiffened spot-welded to the back of the doors Colour of the Almirah should be Grey The above product should conform to applicable ISI standard in respect of materials, welding, test & performance conforming to BIS standards 4033 or	w		_									
Three way bolting device which inter locks body at the top and the bottom with the help a tongue-ingrove mechanism plus a 6 iever unpickable lock, to be made of chrome plated non-ferrous metal alloy to be stiffened by Hat shaped full height steel allow to be made of chrome a few materials, welding, test & performance materials, welding, test & performance by the pool of the materials and the pool of the materials and the height steel stiffened by Hat shaped full height steel steel stiffened by Hat shaped full height steel stiffened by Hat shaped full height steel stiffened by Hat shaped full height steel stiffe	-	tack welding to ensure rigidity and strength										
COMINE COMPANY	0)											
COME THE SHAPPY AND COME T		a tongue-ingrove mechanism plus a 6 lever										
COME THE CONTRACT OF THE CONTR	-	unpickable lock, to be made of chrome	_									
The Same Street of Same Street Same Same Same Same Same Same Same Same	-	plated non-ferrous metal alloy to be									A THE PERSON	
COMES PART AND THE SERVICE OF THE CONTROL OF THE CO		stiffeners spot-welded to the back of the	7	10.00		0			Wet State		S 610 S	
minit complete the complete co		doors		1		Table 1					859	1
Committee of the commit		10. Colour of the Almirah should be Grey			17.00	Ę				T Dunk 10	Strulleol	
edo paros bec. Lavid have gardined		annicable (S) standard in record of								Callin	KOR	
CD DOOR DAG. TANKE		materials, welding, test & performance		Ī					part thought			
	-	12. Conforming to BIS standards 4033 or		MODE DRIV	144			100 100	- Broadflordan	3167	3	

Supplying Firm	å		hree 4,861.00 dra Inc. of all taxes	· · · · · · · · · · · · · · · · · · ·	taxes taxes 4,861.00
		1		3.000.00	
		M/s Shree Chandra Mauli			
		1			
Cer	3	ŧ			
CCTI	WAT RS.	142.00 @ 3%			
ED/Crotom	Duty	F			
unit	Rs.	4720.00			
			ei de la company		
		STEEL ALMIRAH (Standard)	Height-220 cm (inclusive of pedestal height) Width-95cm Depth-50cm Four adjustable shelves forming 5 compartments Pretreated quality CRCA steel conforming to IS-513 Gr. D. Quality, 22 SWG for body and shelves and 22 SWG for the doors Epoxy polyester powder coated of 50 microns dry film thickness and oven baked at a uniform temperature of 180 to 200 degree Celsius.  The footrest should be made up of Anti-All steel components would have multibend construction to be done with tack welding to ensure rigidity and strength Three way bolting device which inter locks body at the top and the bottom with the help a tongue-ingrove mechanism plus a 6 lever unpickable lock, to be made of chrome patetone by Hat shand full hainty steel	stiffeners spot-welded to the back of the	
					stiffener

ED/Custom SST/ CST	nuit
RS.	
— 322.00 — @ 12.5%	
_	

Item with Specification Ot	O.by.	Rates per unit	T. C.	Taxes	100	AMC for 3 years	Make/Brand/ Supplying Firm	S. Collins	Rates	Remark
		Rs.	ED/Custom Duty	SST/ VAT Rs.	CST	.1		D. Dun	F.O.R. Destination Rs.	
	N	2200.00	¥	@ 12.5% 275.00	1	î	M/s Samiksha	1	2,475.00 Inc. of all taxes	
<ol> <li>Height-90 to 100 cm (inclusive of pedestal height)</li> <li>Width-85cm to 95cm</li> <li>Depth-45cm to 50cm</li> <li>One adjustable shelves forming two compartments</li> <li>Pretreated quality CRCA steel conforming to IS-513 Gr. D. Quality, 20/22 SWG for body and shelves and 20/22 SWG for the doors</li> <li>There should be two sliding doors should be smooth</li> <li>There should be lock facility for the doors</li> <li>There should be lock facility for the doors</li> <li>There should be lock facility for the doors</li> <li>Epoxy polyester powder coated of 50 microns dry film thickness and oven baked at a uniform temperature of 180 to 200 degree Celsius</li> <li>The footrest should be made up of Anti-Rust Steel and properly fixed to the bottom of the rack</li> <li>All steel components would have multibend construction to be done with tack welding to ensure rigidity and strength</li> <li>Colour of the rack should be Grey</li> </ol>										
13. The above product should conform to applicable ISI standard in respect of materials, welding, test & performance 14. At the top there should be 1" thick prelaminated water proof board with PVC				1					0 1 X	
lipping. 15 Conforming to BIS standards 4033 or equivalent.										100

Remark		
Rates	F.O.R. Destination Rs.	faxes taxes
Ra	CMSD D. Dun	
Make/Brand/ Supplying Firm		M/s Samiksha
AMC for 3 years		
	csT	1
Taxes	SST/ WAT Rs.	© 12.5% 68.00
Ta	ED/Custom Duty	
Rates per unit	Rs.	545.00
O.		
Item with Specification		1. Top diameter 300mm(+/-5mm) 2. Height adjustment from 480mm to 680mm 3. Four leg should be cut and bent to form a standard cure. It should be welded to central pipe to give better wield strength 4. Top of the central pipe should be welded to central pipe to give better wield strength by ribs and its edges should be beaded to avoid sharp edges by ribs and its edges should be beaded to avoid sharp edges central pipe to give better wield strength by ribs and its edges should be beaded to avoid sharp edges central MS rings which should be welded with bright flats by ribs and its edges should be tweed this screw turns in the threaded nut of the base corew turns in the threaded nut of the base should be fitted with good quality Rubber feet rain forged with MS washes for longer life conger life contral MS Pipe of 11" x 18 GMS pipe 10. Central MS Pipe of 11" x 18 GMS pipe 11. All components should be thoroughly prefreated chemically coated with epoxy polyester powder with paint film thickness of 50 microns or more and oven baked 13. The above product should conform to application ISI standard in respect of materials, welding process, test and performance
		1.2 4 6 6 4 1.2 1.0 1.0 1.1 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3
S. S.		

Kemark	tion	00 ma		(6)	
Rates	F.O.R. Destination Rs.	1,456.00 Inc. of all taxes			
Y	CMSD D. Dun	1			14 18
Make/Brand/ Supplying Firm		M/s SSMS			
3 years	15	9			11 2
	CST	4			
Taxes	SST/ VAT Rs.	@ 4%			
Ta	ED/Custom Duty				
Rates per unit	Rs.	1400.00			
Q.			O) (I)	Ø m	o 52 to
Item with Specification		Length: 400-405 mm, width: 400-405 mm, height: 810-820 mm. The outside diameter of the legs of the locker should be 25.4 mm and thickness of 1.22 mm. Thickness of the top should be 1 mm S.S. sheet of 20 G is bent, edge beaded and superimposed of M.S. top	Top should be double pressed bent and neatly welded in grind at four corners. It should be superimposed with press bent stainless steel top. This top should have back and both sides bent upward for acting as guardrail and the front side should be bent downward. Top edge of the lockers should be bent and pressed to 180 degree to prevent sharp edge.	and locker cabinet after holding legs right angle to the top and cabinet.  Cabinet: Top and sides. The top and sides of the cabinet shuld be made from 1 piece of the steel sheets. It should be welded with the back and the bottom which are also made from press bent sheet.	Doors: door of the cabine-should be made from CRCA sheet of 1 mm thickness press bent to required size. Door should be pivoted to the cabinet at the top and the bottom, flushed with the front of the cabinet when it is closed. Top and bottom of the pivots should be acting as the hinges to allow door to swing to maximum of 120 degree (the door of the cabinet should be
			2 E		ığ .

Remark					
Rates	F.O.R. Destination Rs.				
R	CMSD D. Dun				
AMC for Make/Brand/ 3 years Supplying Firm					
AMC for 3 years					
	CST				
Taxes	SST/ VAT Rs.				
Tay	ED/Custom Duty				
Rates per unit	Rs.				
Qty.					
Item with Specification		Knob: The door should be riveted with chrome plated brass knob which should have the latch carn, by turning knob the door can be locked	The material used should be follows: Frame work of 25.4 mm Dia x 1.22 mm thickness ERW steel tubes. Top should be made from 1mm thick CRCA sheet conforming to IS: 513-D superimposed stainless steel top is of stainless steel conforming IS 6910-1972. Shoes should be reinforced with M.S. washers from inside at the time of moulding	All components should be epoxy coated 50 micron	Conforming to ISO/BIS standards 4033 or equivalent.
Si.		6	K	80	0

P. L. JOSHI, Director General.

> पी०एस०यू० (आर०ई०) १५ हिन्दी गजट/204-माग १-क-2009 (कम्प्यूटर/रीजियो)। मुद्रक एवम् प्रकाशक-संयुक्त निदेशक, राजकीय मुद्रणालय, उत्तराखण्ड, रुडकी।